COMMONWEALTH OF VIRGINIA DIVISION OF PURCHASES AND SUPPLY 805 E. BROAD STREET P. O. BOX 1199 RICHMOND, VIRGINIA 23218-1199

PURCHASING AGREEMENT

1.	DATE	August 9, 2005		
2.	COMMODITYAudio Visual Products and Services			
3.	AGREEMENT NUMBER	MENT NUMBER8801101-60PA		
4.	AGREEMENT PERIOD	September 1, 2005 through August 31, 2006		
5.	SUPERSEDES	8801101-50PA		
6.	AUTHORIZED USERS State Agencies and Other Public Bodies			
7.	CONTRACTOR INFORMATION			
8.	TERMS			
9.	DELIVERY	See Attached		
10.	F.O.B.	Delivered		
11.	MINIMUM ORDERSee Attached			
12.	VIEW/PRINT THIS AGREEMENT AND ANY CHANGES AT: www.eva.state.va.us			
13.	FOR INFORMATION CONTACT:	Edwin Patterson Telephone: (804) 786-3897 / Fax: (804) 786-0223 E-mail: epatterson@dgs.state.va.us		

Notice to all State Agencies and Public Bodies: This Purchase Agreement is optional use and is limited to a maximum of \$5,000.00 (after discount and including freight) per order. This purchasing agreement was established on non-competitive, voluntary basis with a variety of audio visual products vendors that offer a significant number of small dollar audio visual goods and services. Installation services requiring a Commonwealth of Virginia contractor's license are not included as part of this agreement.

Note: This public body does not discriminate against faith-based organizations in accordance with the Code of Virginia, § § 2.2-4343.1 or against a bidder or offeror because of race, religion, color, sex, national origin, age, disability, or any other basis prohibited by state law relating to discrimination in employment.

Edwin Patterson
Statewide Commodity Contract Officer

PARTICIPATING SUPPLIERS

BOXLIGHT CORPORATION

CAMCOR, INC.

COMMUNICATIONS ELECTRONICS, INC.

KUNZ, INC.

LEE HARTMAN & SONS, INC.

LONG'S ELECTRONICS INC.

NICHOLAS P. PIPINO & ASSOCIATES, INC.

PLUS VISION CORPORATION OF AMERICA

STREET & CO AUDIO VISUAL

TROXELL COMMUNICATIONS

VIRGINIA INTEGRATED COMMUNICATION

AGREEMENT USE INSTRUCTIONS

1. This Purchase Agreement, hereinafter referred to as "Agreement" was established on a voluntary basis with the vendors identified herein. Reference the *Commonwealth of Virginia Audio Visual Products and Services Purchasing Agreement No. 8801101-30PA* signed by the vendor and the Commonwealth.

This <u>optional use</u> Agreement is <u>limited to a maximum of \$5,000.00 (after discount and including any freight charges) per order.</u>

- Unless otherwise instructed by the Division of Purchases and Supply, all Departments, Institutions, Agencies and other Public Bodies of the Commonwealth of Virginia may order equipment and supplies that do not exceed \$5,000.00 per order.
- 3. Requirements up to \$5,000.00: Purchaser may choose to order from any vendor identified in the attached agreement. Each vendor agreement should be <u>carefully reviewed</u> and Purchaser should contact the vendor for additional information prior to placing order. Products, discounts, installation, warranties, etc., may differ for each vendor. Prices are F.O.B. Delivered; however vendors will be permitted to add transportation costs if any minimum order requirements are shown and not met. Payment terms are Net 30, unless otherwise shown. It will be the decision of the Purchaser to determine which vendor is the most advantageous overall.
- 4. Requirements between \$5,000.00 and \$50,000.00: Quotes must be solicited and documented by State Agencies and Institutions in accordance with the Agency Procurement and Surplus Property Manual, Chapter 5, Small Purchases. Other Public Bodies should follow their policies for purchases under \$50,000.00.
- 5. Requirements over \$50,000.00: State Agencies and Institutions are required to submit requisitions to DGS/DPS when over \$50,000.00 or their delegated authority, whichever is greater.
- 6. Standing orders between \$5,000.00 and \$50,000.00 in aggregate value must be competitively established using the instruction identified in item #4.
- 7. Order splitting is prohibited as stipulated in the Agency Procurement and Surplus Property Manual, section 4.11. The placement of multiple orders within other than a reasonable time period to one or more vendors for the same, like, or related goods or services is prohibited. This is a standard review area when procurement reviews are conducted by DGS/DPS.
- 8. Purchasers should view on-line catalogs of listed vendors on the eVA web site, and/or contact listed vendors and request catalogs and/or price books.

- 9. Any complaint as to quality, faulty or delinquent delivery, etc., shall be reported to the Division of Purchases and Supply for handling with the Vendor. Preprinted forms (DGS-41-024), by which to facilitate the notification of the Vendor and this office of complaints, are available from the Division of Purchases and Supply web site at www.eva.state.va.us.
- 10. The purchase agreement number and vendor federal employer identification number (FIN) must be shown on all orders. The purchase order number shall be shown by the Vendor on all related invoices, delivery memoranda, bills of lading, packages and/or correspondence.
- 11. Excise tax exemption registration No. 54-73-0076K may be used when required.
- 12. WARRANTY (COMMERCIAL)/WARRANTY MINIMUM: The contractor agrees that the goods or services furnished under this solicitation shall be covered by the most favorable commercial warranties the contractor gives any customer for such goods or services and that the rights and remedies provided therein are in addition to and do not limit those available to the Commonwealth by any other clause of this solicitation. At a minimum, all equipment shall be warranted against defective parts, excluding vandalism, for one year from date of delivery. All parts proving defective within the first year shall be replaced without charge by the Contractor. Transportation and labor for installation of replacement parts for the first 90 days shall be the responsibility of the Contractor.
- 13. RENEWAL OF AGREEMENT: This agreement may be renewed by the Commonwealth upon written agreement of both parties for two (2) successive one-year periods, at a reasonable time (approximately 60 days) prior to the expiration.

BOXLIGHT CORPORATION 19332 POWDER HILL PLACE POULSBO, WA 98370

FEDERAL IDENTIFICATION NUMBER

680099098

DUNS NUMBER

177773536

DISCOUNTS

16% discount off retail price on Boxlight LCD or DLP projectors, projection screens, projector rentals, and miscellaneous audio-visual equipment and supplies carried by Boxlight. Discount does not apply to discontinued or close out items. See attached price sheets (two pages).

MINIMUM ORDER FOR DELIVERY WITHOUT FREIGHT CHARGES

No minimum order requirements.

DELIVERY TIME

Five to seven calendar days after receipt of order.

AMERICAN EXPRESS CORORATE CARD IS ACCEPTED

ORDER PLACEMENT/INQUIRIES

Sharon Allen, Government Sales 19332 Powder Hill Place Poulsbo, WA 98370

TELE: 800-762-5757, x 263 or 360-779-7901, x 263

FAX: 360-598-8263

EMAIL: sharon.allen@boxlight.com

INTERNET WEB SITE ADDRESS:

www.boxlight.com

BOXLIGHT Multimedia Projectors Commonwealth of Virginia — Government Pricing Note: BOXLIGHT projectors come standard with remote control, soft carrying case or dust cover, and basic cables for easy plug and play. PLEASE CALL FOR CURRENT PRICING



Model	VA Price	Retail Price	Lumens	Weight	2 CC CC	Summary of projector's features:
SP-50m	\$1,259	\$1,499	1000 lumens	5.7 lbs.	[[Ultra-quiet, monitor loop-through, soft power on/off, digital keystone
SP-9t	\$1,511	\$1,799	1000	6.2 lbs	2	Affordable notable digital boustons component vides in the
20 404			1700	100	100	Allordable, portable, digital keystone, component video input
CP-12t	\$1,721	\$2,049	1/00 lumens	8.6 lbs.	CCD	Optional PCMCIA card slot, Multiple computer inputs, digital keystone, HDTV compatible, digital keystone, laser remote control
CP-16t	\$1,931	\$2,299	1700 lumens	9.5 lbs.	CD	Short throw lens, optional PCMCIA card slot, Multiple computer inputs, digital horizontal & vertical keystone, HDTV compatible, digital keystone, laser remote
CP-19t	\$2,099	\$2,499	1700 lumens	9.5 lbs.	LCB LCB	Optional wireless kit, short throw lens, optional PCMCIA card slot, Multiple computer inputs, digital keystone, HDTV compatible, digital keystone, laser
CD-600m	\$2,099	\$2,499	2000 lumens	5.7 lbs.	DLP	HDTV compatible, manual zoom lens, Faroudja video chip, digital input,
CP-635i	\$2,267	\$2,699	2200 lumens	7.2 lbs.	8 [8	Adjustable to whisper mode = 1800 lumens, Multiple computer inputs,
						lifornitor rough, digital keystone, card-type remote

XGA (1024	XGA (1024 x 768) Projectors	jectors				
Model	VA Price	Retail Price	Lumens	Weight		Summary of projector's features:
XP-5t	\$1,595	\$1,899	800 lumens	5.7 lbs.	LCD	Affordable, digital keystone, component video input, full-function remote
XP-8t	\$2,015	\$2,399	1100 lumens	6.2 lbs.	FCD	Digital keystone, component video input, HDTV compatible, card-type remote
XP-60m	\$2,183	\$2,599	1100 lumens	5.7 lbs.	ГСР	Ultra-quiet, monitor loop-through, soft power on/off, digital keystone
XD-10m	\$2,435	\$2,899	1100 lumens	3 lbs.	DLP	Ultra-portable, zoom lens, DVI computer input, video input, digital keystone adjustment
XD-2m	\$2,855	\$3,399	1100 lumens	2.4 lbs.	DLP	Lightest BOXLIGHT ever, zoom lens, analog/digital computer input, video inputs, digital keystone adjustment
CP-300t	\$2,687	\$3,199	1400 lumens	8.6 lbs.	LCD	DVI computer input, power zoom lens, optional PCMCIA card slot, HDTV compatible digital keystone laser remote control

Г	T	1	-	7	T		7					
FP-97t	MP-41t	MP-39t	MP-385t	CP-775i	CD-850m	CD-750m	CD-725c	CP-315t	CP-310t	CP-305t	CP-731i	Model
\$8,399	\$5,459	\$4,619	\$3,947	\$3,527	\$3,527	\$3,023	\$2,939	\$3,275	\$3,023	\$2,855	\$2,603	VA Price
\$9,999	\$6,499	\$5,499	\$4,699	\$4,199	\$4,199	\$3,599	\$3,499	\$3,899	\$3,599	\$3,399	\$3,099	Price
3300 lumens	3500 lumens	3300 lumens	2600 lumens	2500 lumen	2500 lumen	2000 lumen	2000 lumen	2000 lumens	2000 lumens	1/00 lumens	1600 lumens	Lumens
39.2 lbs.	18.5 lbs.	17.4 lbs.	17.4 lbs.	9.9 lbs.	9.3 lbs.	5.7 lbs.	6.8 lbs.	8.6 lbs.	8.6 lbs.	9.5 lbs.	7.2 lbs.	Weight
LCD	ГСВ	LCD	LCD	LCD	DLP	DLP	DLP	LCD	LCD	LCD	LCD	무 당 당
Large venue projector, twin stackable, HDTV compatible, power lens shift, multiple lens/input options	Large venue projector, 800:1 contrast ratio, digital progressive scanning, HDTV compatible, power lens shift, multiple lens/input options	Network compatible, large venue projector, 550:1 contrast ratio, digital progressive scanning, HDTV compatible, power lens shift, multiple lens/input options	Conference room projector with excellent video, 500:1 contrast ratio, digital progressive scanning, HDTV compatible, multiple lens/input options	DVI computer input, picture in picture, horizontal and vertical keystone adjust, customizable start-up screen. HDTV compatible	HDTV compatible, multiple computer inputs, monitormanual zoom lens, Faroudia video chip, digital input, portional enhanced connectivity module	HDTV compatible, manual zoom lens, Faroudja video chip, digital input, optional enhanced connectivity module	Multiple inputs and monitor loop-through, HDTV compatible, manual zoom lens, 600:1 contrast ratio, picture in picture, ultra-quiet	Optional wireless kit, short throw lens, optional PCMCIA card slot, Multiple computer inputs – DVI input digital keystone laser remote	Ultra-bright, DVI computer input, power zoom lens, optional PCMCIA card slot, HDTV compatible, digital keystone, laser remote control	יונט עו	Full-featured, 2 computer inputs, monitor loop-through, digital keystone adjust, manual zoom lens. laser remote	Summary of projector's features:

If submitting a request to bid or collecting competitive quotes make sure to note the following benefits with purchasing directly from BOXLIGHT:

*Buy directly from a trusted manufacturer, which saves you money and gives you a detailed record of your history in case of *30-day upgrade credit *No restocking fee *No sales tax *Authorized service center with average 5 day turnaround time *FREE 24/7 tech support for life *2-year parts & labor warranty *15-day money back guarantee *120-day lamp warranty theft, loss, or damage *Single point of contact

For our full projector line-up, detailed specifications, and current pricing of our products visit: www.boxlight.com/government Call Elvir Ajanovic for more information at 800-762-5757 x 279 or email: ElvirA@boxlight.com

CAMCOR, INC. P.O. BOX 1899 BURLINGTON, NC 27216

FEDERAL IDENTIFICATION NUMBER

560818892

DUNS NUMBER

024445074

CATALOGS AND DISCOUNTS

See attached two page listing of manufacturer catalogs and percentage discounts.

MINIMUM ORDER FOR DELIVERY WITHOUT FREIGHT CHARGES

\$100.00

(Orders under \$100.00 will be accepted, but freight charges will be added to invoice) Inside Delivery on Freight (Truck) Shipment May Incur an Additional Charge.

DELIVERY TIME

Generally two to 30 days after receipt of order, depending on product availability. Products on backorder or allocation from the manufacturer may take longer for delivery.

AMERICAN EXPRESS CORORATE CARD IS ACCEPTED

ORDER PLACEMENT/INQUIRIES

800-868-2462

Fax: 800-298-1181

CONTACT FOR PURCHASING AGREEMENT

Rodney Bailey

TELE: 800-868-2462, ext. 170

FAX: 800-298-1181

EMAIL: irbailey@camcor.com

INTERNET WEB SITE ADDRESS:

www.camcor.com

Commonwealth Purchasing Agreement

camcor, inc.

PO Box 1899 Burlington, NC 27216-1899 Voice: 336-228-0251 Fax: 336-222-8011

www.camcor.com

Product Category	Manufacturer	% Discount
LCD/DLP Projectors		
-	Dukane	40%
	Eiki	37%
	P an asonic	36%
	Sharp-PG Series	33%
Plasma Display		
	Pioneer	25%
	Panasonic	20%
	Zenith	15%
Projection Screens		
	Apollo	25%
	DaLite	20%
verhead Projectors		
	Apollo	25%
	Dukane	36%
Slide Projectors		
	Kodak	20%
Audio Products		
	Anchor	25%
•	Califone	25%
Digital Cameras		
	Canon	12%
	Olympus	15%
	Nikon	14%
	Sony	20%
Televisions		
	Panasonic Consumer	15%
	Samsung Consumer	5%
	Sharp Consumer	10%
	Zenith	15%
TV/VCR Combos		
·	Panasonic Consumer	15%
	Samsung Consumer	5%
	Sharp Consumer	10%
	Zenith	10%

Commonwealth Purchasing Agreement

Camcorders		
	Canon	12%
	Panasonic Consumer	9%
	Sony Consumer	20%
VCR		2070
	Panasonic Consumer	10%
	Samsung Consumer	10%
	Sharp Consumer	10%
DVD		
	Panasonic Consumer	450/
	Samsung Consumer	15%
•	Sharp Consumer	20%
	Sharp Consumer	20%
Visual Presenters		
•	Canon	20%
	Elmo	25%
•	Samsung	20%
	Yokagawa	18%
A/V Carts		
	Apollo	25%
Tripods		
	Bogen	19%

Camcor, Inc Customer Service Description of Service Escalation Procedure 800-868-2462

Upon notification of a situation with a product, our customer service department and/or one of our service technicians, will contact the using agency typically within four (4) hours. Our first step is a verbal analysis of the situation and, if needed, the performance of some applicable remote diagnostic procedures with the user. This step is designed to identify the potential problem and determine if there is a simple solution to the situation such as; a cable not connected correctly, resolution incompatible with the projector or computer, lamp burned out, power on but lamp not turned on, lamp door not seated correctly, something covering the air inlet causing an over temperature situation, etc.

Once it is determined that the situation cannot be resolved over the phone and a hardware problem does exist that requires the product to be returned for service, arrangements will be made to have the product picked up. Service may;(1) immediately issue a "UPS Call Tag" to have the product picked up if the using agency has the original packaging; (2) if needed, send an appropriate shipping container for the product along with appropriate packing, shipping, and "UPS Call Tag" information.

Also, Camor, Inc. has a Virginia sales representative dedicated to the Commonwealth of Virginia. His phone number is 800-868-2462 ext. 357 (jbowling@camcor.com). Mr. Bowling may also be able to pick up any problem units.

Furthermore, Camcor, Inc. is an authorized Califone warranty repair service center.

COMMUNICATIONS ELECTRONICS, INC. 9494 DEERECO ROAD TIMONIUM, MARYLAND 21093

FEDERAL IDENTIFICATION NUMBER

521049196

DUNS NUMBER

030331441

PRODUCT AND PRICE

InCharge 5555 Mobile Video Recorder (Digital). System to include:

- 1 Each InCharge 5555 Mobile Digital Video recorder with a 120 GB hard drive.
- 1 Each 6.4" Flip Down Color LCD Display Screen
- 1 Each Color CCD Camera
- 1 Each Spare 120 GB hard drive

Product literature is attached (two pages).

State of Virginia price is \$4,715 each for the complete system. **IMPORTANT:** Due to the \$5,000.00 order limitation of this purchasing agreement, quantities of more than one each are not covered under this agreement. For quantities of more than one each, applicable purchasing procedures must be used based on the total dollar amount. Agencies and localities must confirm with Communications Electronics Inc. prior to placement of order that InCharge 5555 system meets agency and locality requirements and that order dollar amount will not exceed \$5,000.00.

MINIMUM ORDER FOR DELIVERY WITHOUT FREIGHT CHARGES

No minimum order requirements.

DELIVERY TIME

45 calendar days after receipt of order.

AMERICAN EXPRESS CORORATE CARD IS ACCEPTED

ORDER PLACEMENT/INQUIRIES

F.J. Stetson, Director of Business Development

TELE: 410-252-1222, ext. 274

FAX: 410-252-5231

EMAIL: Stetson@communicationselectronics.com

INTERNET WEB SITE ADDRESS:

www.communicationselectronics.com

KUNZ, INC. 1630 SULPHUR SPRING ROAD BALTIMORE, MD 21227-2539

FEDERAL IDENTIFICATION NUMBER

520575660

DUNS NUMBER

022469639

CATALOGS AND DISCOUNTS

See attached catalog and discount listings.

DELIVERY TIME

Generally within 30 days.

MINIMUM ORDERS

No minimum order requirement.

AMERICAN EXPRESS CORORATE CARD IS ACCEPTED

ORDER PLACEMENT/INQUIRIES

Georgia S. Tibbs

TELE: 800-638-0410; FAX: 888-638-0188; EMAIL: kunz@kunzinc.com

CONTACT FOR PURCHASING AGREEMENT

Robert C. Pulyer

TELE: 800-638-0410; FAX: 888-638-0188; EMAIL: kunz@kunzinc.com

INTERNET WEB SITE ADDRESS:

www.kunzinc.com



Audio Visual Equipment Presentation Products Computer Software

 Telephone
 410-737-0130

 Toll Free
 800-638-0410

 Fax
 410-737-0188

 Toll Free Fax
 888-638-0188

 E-mail
 kunz@kunzinc.com

1630 Sulphur Spring Road

Baltimore, MD 21227-2539

Categories	Brand	Discount
LCD Projectors	Sanyo	34.1%
	3M	29.0%
Projection Screens-Wall	Apollo	48.1%
	Hurley Screen Corp. (Electraview Focus Model S & Visions Model S)	16.5%
Overhead Projectors	Vutec	58.1%
	3M	43.2%
	Elmo	30.8%
CD Players	Eiki 7070	25.3%
	MPC/Hamilton (PA CCD30, CCD30, MPC 5050, MPC 6060A)	19.0%
Audio Amplifiers	Anchor	31.0%
	Apollo	43.0%
Microphones	Audiotechnica	32.6%
Televisions	Zenith 26, 34, 36, 38, 39, 48(Computer Monitor), 52 & 56 Series	29.1%
1	Zenith HDTV & Analog C32V46, C30W46, C27V46, C32F43 & C27F43	29.1%
	Zenith HD-Capable LCD	20.0%
	RCA/Thompson 24" & 27" Sets	19.8%
	RCA/Thompson 32" Sets	11.8%
Rear Projector	Sanyo-Rear Projection System	48.8%
	Sanyo-Video Projector	42.6%
Miscellaneous Equipment		24.4%



PROJECTOR AND ACCESSORIES

DEALER PRICE SCHEDULE -- CONFIDENTIAL Effective June 3, 2005

MODEL	DESCRIPTION	List Price
	Large Venue Projectors	
PLC-UF15	* 7700 ANSI lumens, 15400 ANSI lumens twin-stacked * True UXGA (1600 x 1200) * 81.6 pounds, 22.9" x 9.9" x 30.8" (W x H x D) * 4 x 250 Watt UHP lamps * Over 90% Uniformity with Contrast Ratio of 1000:1 * Power Zoom / Focus, Lens shift up/down and side to side * Multi-Versatile platform computer and video inputs (DVI-I available)	\$49,995.00
	* PJ Net Organizer Platform ready * Real Color Management Software included * Efficient Lamp Management System with 4 lamps * 10 kinds of Optional lenses available: (Short, Semi-Long, Long, Standard lens)	
PLC-EF60	* 5800 ANSI lumens, 11600 ANSI lumens twin-stacked, 1300:1 Contrast Ratio	\$29,995.00
	* Uses same optional lens as the EF31/XF31(Throw Ratio is different from 1.8" mode * True SXGA+ (1400 x 1050), compressed UXGA (1600 x 1200) * Power Zoom / Focus, Lens shift up/down and side to side	
	* Lens Sold Separately * Lens memory function with LNS-W04 * Multi-Versatile platform (2 slots) computer and video inputs(Optional Dual SDI, F * PJ Net Organizer platform capable (POA-MD19NET)	NO LEN
	* Real Color Management Pro. Software included * 2 x 300 Watt UHP lamps * Front Input Terminals with Warp/Edge Blend Capability	New S
	* DVI-D (HDCP), D-sub15, Five Pin BNC, 3 RCA, S-Video Standard Inputs * Clogged Filter Warning and Built in Test Patterns * Stackable Cabinet and Shutter Function	2,,,,,,
PLC-EF31N	* 5800 ANSI lumens, 11600 ANSI lumens twin-stacked	\$23,995.00
	* True SXGA (1280 x 1024), compressed UXGA (1600 x 1200) * 50.5 pounds, 17.3" x 9.1" x 23.9" (W x H x D) * 2 x 200 Watt UHP lamps * Over 90% Uniformity with Contrast Ratio of 900:1 * Power Zoom / Focus, Lens shift up/down with standard lens with 2.0 to 2.6:1 throw * Multi-Versatile platform computer and video inputs(DVI-I available) * PJ Net Organizer Platform ready * Real Color Management Software included * Efficient Lamp Management System with 2 lamps * Variety of Lens Options	ratio
PLC-EF31NL	* Same specifications as PLC-EF30N. 46.3 lbs. No lens. * 10 kinds of Optional lenses available: (Short, Semi-Long, Long, Standard lens)	\$22,995.00 NO LEN
PLC-XF45	* 10000 ANSI lumens, 20000 ANSI lumens twin-stacked * True XGA (1024 x 768), compressed UXGA (1600 x 1200) * 81.6 pounds, 22.9" x 9.9" x 30.8" (W x H x D)	\$29,995.00
	* Over 90% Uniformity with Contrast Ratio of 1100:1 * Power Zoom / Focus, Lens shift up/down and side to side * Multi-Versatile platform computer and video inputs(DVI-I available) * 4 x 250 Watt UHP lamps * PJ Net Organizer platform capable * Real Color Management Software included	NO LEN
	* Efficient Lamp Management System with 4 lamps * 10 kinds of Optional lenses available: (Short, Semi-Long, Long, Standard lens)	
PLC-XF41	* 7700 ANSI lumens, 15400 ANSI lumens twin-stacked, no lens	\$21,995.00
	* True XGA (1024 x 768), compressed UXGA (1600 x 1200) * 81.6 pounds, 22.9" x 9.9" x 30.8" (W x H x D) * Over 90% Uniformity with Contrast Ratio of 800:1	
	* Power Zoom / Focus, Lens shift up/down and side to side * Multi-Versatile platform computer and video inputs(DVI-I available) * PJ Net Organizer platform capable * Real Color Management Software included * 4 x 200 Watt UHP lamps	NO LEN
	* Efficient Lamp Management System with 4 lamps * 10 kinds of Optional lenses available: (Short, Semi-Long, Long, Standard lens)	

Large Venue Projectors, Continued



PROJECTOR AND ACCESSORIES

PLC-XF60 * 6500 ANSI lumens, 13000 ANSI lumens twin-stacked, 1300:1 Contrast Ratio \$19,995.00 **Uses same optional lens as the EF31/KF31/Trivor Ratio is different from 1.8" models) **True XGA (1024 x 768), compressed UXGA (1600 x 1200) **Power Zoom / Focus, Lens shift up/down and side to side **Lens Sold Separately **Lens memory function with LYS-W04 **Multi-Versatile platform (2 slots) computer and video inputs(Optional Dual SDI, Faroudja and DVI-I wiHDCP available) **P1 Net Organizer platform capable (POA-MD19NET) **Real Color Management Pro-Software included **2 x 300 Watt UHP lamps **Front Input Terminals with Warp/Edge Blend Capability **DVI-D (HDCP). D-sub15, Five Pin BNC, 3 RCA, S-Video Standard Inputs **Clogged Filter Warning and Built in Test Patterns **Stackable Cabinet and Shutter Function **P1 Net Organizer platform capable (POA-MD19NET) **Power Zoom / Focus, Lens shift up/down with standard lens with 2.0 to 2.6:1 throw ratio **Multi-Versatile platform computer and video inputs(DVI-I available) **Real Color Management Software included **P1 Net Organizer platform capable **2 x 250 Watt UHP lamps **Efficient Lamp Management System with 2 lamps **PLC-XF31NL** **Same specifications as PLC-XF35N. No lens. 46.3 pounds **10 kinds of Optional lenses available: (Short, Semi-Long, Long, Standard lens) **POWER ZOON / Focus, Lens shift up/down with standard lens with 2.0 to 2.6:1 throw ratio **Not Koda (1024 x 768), compressed UXGA (1600 x 1200) **So.5 pounds, 17.3" x 9.1" x 2.3" ("W x H X D) **Over 90% Uniformity with Contrast Ratio of 800:1 **Power Zoon / Focus, Lens shift up/down with standard lens with 2.0 to 2.6:1 throw ratio **Multi-Versatile platform computer and video inputs(DVI-I available) **Power Zoon / Focus, Lens shift up/down with standard lens with 2.0 to 2.6:1 throw ratio **Multi-Versatile platform computer and video inputs(DVI-I available) **Power Zoon / Focus, Lens shift up/down with standard lens with 2.0 to 2.6:1 throw ratio **Multi-Versatile platform comput	MODEL	DESCRIPTION	List Price
* Uses same optional lens as the EF31/KF31(Throw Ratio is different from 1.8" models) * True XGA (1024 x 788), compressed UXGA (1600 x 1200) * Power Zoom / Focus, Lens shift up/down and side to side * Lens Sold Separately * Lens memory function with LNS-W04 * Multi-Versatile platform capable (POA-MD19NET) * Real Color Management Pro. Software included * 2 x 300 Watt UHP lamps * Front Input Terminals with Warp/Edge Blend Capability * DVI-D (PIDCP). D-sub15, Five Pin BNC, 3 RCA, S-Video Standard Inputs * Clogged Filter Warning and Built in Test Patterns * Stackable Cabinet and Shutter Function PLC-XF38N * 6500 ANSI lumens, 13000 ANSI lumens twin-stacked * True XGA (1024 x 788), compressed UXGA (1600 x 1200) * Over 90% Uniformity with Contrast Ratio of 1100:1 * Power Zoom / Focus, Lens shift up/down with standard lens with 2.0 to 2.6:1 throw ratio * Multi-Versatile platform computer and video inputs(DVI-I available) * Real Color Management Software included * P.I Net Organizer platform capable * 2 x 250 Wat UHP lamps * Efficient Lamp Management System with 2 lamps * PLC-XF35NL * Same specifications as PLC-XF35N. No lens. 46.3 pounds * True XGA (1024 x 788), compressed UXGA (1600 x 1200) * 50.5 pounds, 17.3" x 9.1" x 2.9" (W x Hx V) * 10 kinds of Optional lenses available: (Short, Semi-Long, Long, Standard lens) * Same specifications as PLC-XF35N. No lens. 46.3 pounds * True XGA (1024 x 788), compressed UXGA (1600 x 1200) * 50.5 pounds, 17.3" x 9.1" x 2.9" (W x Hx V) * Over 90%, Uniformity with Contrast Ratio of 800:1 * Power Zoom / Focus, Lens shift up/down with standard lens with 2.0 to 2.6:1 throw ratio * Multi-Versatile platform capable * Real Color Management System with 2 lamps * Efficient Lamp Management System with 2 lamps * Fower Zoom / Focus, Lens shift up/down with standard lens with 2.0 to 2.6:1 throw ratio * Multi-Versatile platform computer and video inputs(DVI-I available) * Power Zoom / Focus, Lens shift up/down with standard lens with 2.0 to 2.6:1 throw ratio *	PLC-XF60	* 6500 ANSI lumens, 13000 ANSI lumens twin-stacked, 1300:1 Contrast Ratio	\$19,995.00
* True XGA (1024 x 768), compressed UXGA (1600 x 1200) * Power Zoom / Focus, Lens shift up/down and side to side * Lens Sold Separately * Lens memory function with LNS-W04 * Multi-Versatile platform (2 slots) computer and video inputs(Optional Dual SDI, Faroudja and DVI-I w/HDCP available) * PJ Net Organizer platform capable (PO-A-MD19NET) * Real Color Management Pro. Software included * 2 x 300 Watt UHP lamps * Front Input Terminals with Warp/Edge Blend Capability * DVI-D (HDCP), D-sub15, Five Pin BNC, 3 RCA, S-Video Standard Inputs * Clogged Filter Warning and Bult in Test Patterns * Stackable Cabinet and Shutter Function PLC-XF35N * 6500 ANSI lumens, 13000 ANSI lumens twin-stacked * True XGA (1024 x 768), compressed UXGA (1600 x 1200) * 50.5 pounds, 17.3" x 9.1" x 23.9" (W x H x D) * Over 90%, Uniformity with Contrast Ratio of 1100:1 * Power Zoom / Focus, Lens shift up/down with standard lens with 2.0 to 2.6:1 throw ratio * Multi-Versatile platform computer and video inputs(DVI-I available) * Real Color Management Software included * PJ Net Organizer platform capable * 2 x 250 Watt UHP lamps * Efficient Lamp Management System with 2 lamps PLC-XF35NL * Same specifications as PLC-XF35N. No lens. 46.3 pounds * 10 kinds of Optional lenses available: (Short, Semi-Long, Long, Standard lens) * 10 kinds of Optional lenses available: (Short, Semi-Long, Long, Standard lens) * 20 Over 90%, Uniformity with Contrast Ratio of 800:1 * Power Zoom / Focus, Lens shift up/down with standard lens with 2.0 to 2.6:1 throw ratio * Multi-Versatile platform computer and video inputs(DVI-I available) * PJ Net Organizer platform capable * Real Color Management System with 2 lamps * Efficient Lamp Management System with 2 lamps * True XGA (1024 x 768), compressed UXGA (1600 x 1200) * 78.3 pounds, 2.2 e* y.9 s* x 30.8 * (W x H x D) * Ove		* Uses same optional lens as the EF31/XF31(Throw Ratio is different from 1.8" models	s)
* Lens Sold Separately * Lens memory function with LNS-W04 * Multi-Versatile platform (2 slots) computer and video inputs(Optional Dual SDI, Faroudja and DVI-I w/HDCP available) * PJ Net Organizer platform capable (POA-MD19NET) * Real Color Management Pro. Software included * 2 x 300 Watt UHP lamps * Front input Terminals with Warp/Edge Blend Capability * DVI-D (HDCP), D-sub15, Five Pin BNC, 3 RCA, S-Video Standard Inputs * Clogged Filter Warning and Built in Test Patterns * Stackable Cabinet and Shutter Function PLC-XF35N * 6500 ANSI tumens, 13000 ANSI tumens twin-stacked * True XGA (1024 x 788), compressed UXGA (1600 x 1200) * 50.5 pounds, 17.3" x 9.1" x 23.9" (W x H x D) * Over 90% Uniformity with Contrast Ratio of 1100:1 * Power Zoom / Focus, Lens shift up/down with standard lens with 2.0 to 2.6:1 throw ratio * Multi-Versatile platform computer and video inputs(DVI-I available) * Real Color Management Software included * P.I Net Organizer platform capable * 2 x 250 Watt UHP lamps * Efficient Lamp Management System with 2 lamps PLC-XF35NL * Same specifications as PLC-XF35N. No lens. 46.3 pounds * 10 kinds of Optional lenses available: (Short, Semi-Long, Long, Standard lens) * \$15,995.00 * No LENS** PLC-XF31N * 5200 ANSI tumens, 10400 ANSI tumens twin-stacked * True XGA (1024 x 788), compressed UXGA (1600 x 1200) * 50.5 pounds, 17.3" x 9.1" x 23.9" (W x H x D) * Over 90% Uniformity with Contrast Ratio of 800-1 * Power Zoom / Focus, Lens shift up/down with standard lens with 2.0 to 2.6:1 throw ratio * Multi-Versatile platform capable * Real Color Management System with 2 lamps * Efficient Lamp Management System with 2 lamps * True XGA (1024 x 788), compressed UXGA (1600 x 1200) * 70.3 pounds x 1000 and 1000			•
* Lens memory function with LNS-W04 * Multi-Versatile platform (2 slots) computer and video inputs(Optional Dual SDI, Faroudja and DVI-I w/HDCP available) * PJ Net Organizer platform capable (POA-MD19NET) * Real Color Management Pro. Software included * 2 x 300 Watt UHP lamps * Front Input Terminals with Warp/Edge Blend Capability DVI-D (HDCP), D-sub15, Five Pin BNC, 3 RCA, S-Video Standard Inputs * Clogged Filter Warning and Built in Test Patterns * Stackable Cabinet and Shutter Function * Stackable Cabinet and Shutter Function * True XGA (1024 x 768), compressed UXGA (1600 x 1200) * 50.5 pounds, 17.3" x 9.1" x 23.9" (W x H x C) * Over 90% Uniformity with Contrast Ratio of 1100:1 * Power Zoom / Focus, Lens shift updown with standard lens with 2.0 to 2.6:1 throw ratio * Multi-Versatile platform computer and video inputs(DVI-I available) * Real Color Management Software included * PJ Net Organizer platform capable * 2 x 250 Watt UHP lamps * Efficient Lamp Management System with 2 lamps PLC-XF3SNL * Same specifications as PLC-XF3SN. No lens. 46.3 pounds * True XGA (1024 x 788), compressed UXGA (1600 x 1200) * 50.5 pounds, 17.3" x 9.1" x 23.9" (W x H x C) * Over 90% Uniformity with Contrast Ratio of 800:1 * Power Zoom / Focus, Lens shift updown with standard lens with 2.0 to 2.6:1 throw ratio * Multi-Versatile platform computer and video inputs(DVI-I available) * PLC-XF3INL * Same specifications as PLC-XF3IN. No lens. 46.3 pounds * True XGA (1024 x 788), compressed UXGA (1600 x 1200) * 50.5 pounds, 17.3" x 9.1" x 23.9" (W x H x C) * Over 95% Uniformity with Contrast Ratio of 800:1 * Power Zoom / Focus, Lens shift updown with standard lens with 2.0 to 2.6:1 throw ratio * Multi-Versatile platform computer and video inputs(DVI-I available) * PJ Net Organizer platform capable * Real Color Management Software included * 2 x 200 Watt UHP lamps * Efficient Lamp Management Software included * 1 x 100 Watt UHP lamps * True XGA (1024 x 788), compressed UXGA (1600 x 1200) * 78.3 pounds, 22.9" x 9.9" x 30.8" (W x H x D) * Ov		* Power Zoom / Focus, Lens shift up/down and side to side	
Multi-Versatile platform (2 slots) computer and video inputs(Optional Dual SDI, Faroudja and DVI-I wiHDCP available) **PJ Net Organizer platform capable (POA-MD19NET) **Real Color Management Pro. Software included **2 x 300 Watt UHP lamps **Front Input Terminals with Warp/Edge Blend Capability **DVI-D (HDCP), D-sub15, Five Pin BNC, 3 RCA, S-Video Standard Inputs **Clogged Filter Warning and Built in Test Patterns **Stackable Cabinet and Shutter Function **PLC-XF35N **S000 ANSI lumens, 13000 ANSI lumens twin-stacked **True XGA (1024 x 788), compressed UXSA (1600 x 1200) **50.5 pounds, 17.3" x 9.1" x 23.9" (W X H x D) **Over 90% Uniformity with Contrast Ratio of 1100:1 **Power Zoom / Focus, Lens shift up/down with standard lens with 2.0 to 2.6:1 throw ratio **Multi-Versatile platform computer and video inputs(DVI-I available) **P J Net Organizer platform capable **2 x 250 Watt UH-P lamps **Efficient Lamp Management System with 2 lamps **PLC-XF35NL** **Same specifications as PLC-XF35N. No lens. 46.3 pounds **10 kinds of Optional lenses available: (Short, Semi-Long, Long, Standard lens) **S15,995.00** **NO LENS** **POWER ZOOM / S10124 x 788), compressed UXGA (1600 x 1200) **50.5 pounds, 17.3" x 9.1" x 23.9" (W x H x D) **Over 90% Uniformity with Contrast Ratio of 800:1 **POWER ZOOM / Focus, Lens shift up/down with standard lens with 2.0 to 2.6:1 throw ratio **Multi-Versatile platform capable **P J Net Organizer platform capable **P J Net Organizer platform capable **Real Color Management Software included **P J Net Organizer platform capable **Real Color Management System with 2 lamps **Efficient Lamp Management System with 2 lamps **Efficient Lamp Management System with 2 lamps **True XGA (1024 x 788), compressed UXGA (1600 x 1200) **70.3 pounds, 22.9" x 9.9" x 30.8" (W x H x D) **Over 80% Uniformity with Contrast Ratio of 700:1 **POWER ZOOM / Focus, Lens shift up/down and side to side **Multi-Versatile platform computer and video inputs(DVI-I available) **V 10 Ver 80% U		* Lens Sold Separately	
*PJ Net Organizer platform capable (POA-MD19NET) *Real Color Management Pro. Software included *2 x 300 Watt UHP lamps *Front Input Terminals with Warp/Edge Blend Capability *DVI-D (HDCP), D-sub15, Five Pin BNC, 3 RCA, 3-Video Standard Inputs *Clogged Filter Warning and Bullt in Test Patterns *Stackable Cabinet and Shutter Function *Stackable Cabinet and Shutter Function *True KGA (1024 x 788), compressed UXGA (1600 x 1200) *50.5 pounds, 17.3" x 91" x 23.9" (W x H x D) *Over 90% Uniformity with Contrast Ratio of 1100:1 *Power Zoom / Focus, Lens shift updown with standard lens with 2.0 to 2.6:1 throw ratio *Multi-Versatile platform computer and video inputs(DVI-I available) *Real Color Management Software included *P J Net Organizer platform capable *2 x 250 Watt UHP lamps *Efficient Lamp Management System with 2 lamps PLC-XF35NL *Same specifications as PLC-XF35N. No lens. 46.3 pounds *10 kinds of Optional lenses available: (Short, Semi-Long, Long, Standard lens) *In kinds of Optional lenses available: (Short, Semi-Long, Long, Standard lens) PLC-XF31NN *5200 ANSI lumens, 10400 ANSI lumens twin-stacked *True KGA (1024 x 768), compressed UXGA (1600 x 1200) *50.5 pounds, 17.3" x 9.1" x 23.9" (W x H x D) *Over 90% Uniformity with Contrast Ratio of 800:1 *Power Zoom / Focus, Lens shift up/down with standard lens with 2.0 to 2.6:1 throw ratio *Multi-Versatile platform computer and video inputs(DVI-I available) *PLO-XF31NL *Same specifications as PLC-XF31N. No lens. 46.3 pounds *10 kinds of Optional lenses available: (Short, Semi-Long, Long, Standard lens) *In kinds of Optional lenses available: (Short, Semi-Long, Long, Standard lens) *PLC-XF31NL *Same specifications as PLC-XF31N. No lens. 46.3 pounds *10 kinds of Optional lenses available: (Short, Semi-Long, Long, Standard lens) *In kinds of Optional lenses available: (Short, Semi-Long, Long, Standard lens) *In kinds of Optional lenses available: (Short, Semi-Long, Long, Standard lens) *In kinds of Optional lenses available: (Short, Semi-Long, Long, Standard l			
* Real Color Management Pro. Software included * 2 x 300 Watt UHPI lamps * Front Input Terminals with WarpfEdge Blend Capability * DVI-D (HDCP), D-sub15, Five Pin BNC, 3 RCA, S-Video Standard Inputs * Clogged Filter Warning and Built in Test Patterns * Stackable Cabinet and Shutter Function PLC-XF35N * 6500 ANSI lumens, 13000 ANSI lumens twin-stacked * True XGA (1024 x 788), compressed UXGA (1600 x 1200) * 50.5 pounds, 17.3" x 9.1" x 23.9" (W x H x D) * Over 90% Uniformity with Contrast Ratio of 1100:1 * Power Zoom / Focus, Lens shift up/down with standard lens with 2.0 to 2.6:1 throw ratio * Multi-Versatile platform computer and video inputs(PU-I available) * Real Color Management Software included * P J Net Organizer platform capable * 2 x 250 Watt UHP lamps * Efficient Lamp Management System with 2 lamps PLC-XF35NL * Same specifications as PLC-XF35N. No lens. 46.3 pounds * True XGA (1024 x 788), compressed UXGA (1600 x 1200) * 50.5 pounds, 17.3" x 9.1" x 23.9" (W x H x D) * Over 90% Uniformity with Contrast Ratio of 800:1 * Power Zoom / Focus, Lens shift up/down with standard lens with 2.0 to 2.6:1 throw ratio * Multi-Versatile platform computer and video inputs(DVI-I available) * P J Net Organizer platform capable * Real Color Management Software included * 2 x 200 Watt UHP lamps * Efficient Lamp Management System with 2 lamps PLC-XF31NL * Same specifications as PLC-XF31N. No lens. 46.3 pounds * 10 kinds of Optional lenses available: (Short, Semi-Long, Long, Standard lens) * \$14,995.00 * NO LENS * \$200 ANSI lumens, 10000 ANSI lumens twin-stacked, no lens * True XGA (1024 x 788), compressed UXGA (1600 x 1200) * 76.3 pounds, 22.9" x 9.9" x 30.8" (W x H x D) * Over 80% Uniformity with Contrast Ratio of 700:1 * Power Zoom / Focus, Lens shift up/down and side to side * Multi-Versatile platform computer and video inputs(DVI-I available) * 4 x 150 Watt UHP lamps * Efficient Lamp Management System with 4 lamps * Efficient Lamp Management System with 4 lamps		* Multi-Versatile platform (2 slots) computer and video inputs(Optional Dual SDI, Fa	roudja and DVI-I w/HDCP available)
*2 x 300 Watt UHP jamps *Front Input Terminals with Warp/Edge Blend Capability *DVI-D (HDCP), D-sub15, Five Pin BNC, 3 RCA, S-Video Standard Inputs *Clogged Filter Warming and Built in Test Patterns *Slackable Cabinet and Shutter Function *Slackable Cabinet and Shutter Function *Time XGA (1024 x 768), compressed UXGA (1600 x 1200) *50.5 pounds, 17.3" x 9.1" x 23.9" W. H x D) *Over 90% Uniformity with Contrast Ratio of 1100:1 *Power Zoom / Focus, Lens shift up/down with standard lens with 2.0 to 2.6:1 throw ratio *Multi-Versatile platform computer and video inputs(DVI-I available) *Real Color Management Software included *P.J Net Organizer platform capable *2 x 250 Watt UHP lamps *Efficient Lamp Management System with 2 lamps PLC-XF35NL *Same specifications as PLC-XF35N. No lens. 46.3 pounds *10 kinds of Optional lenses available: (Short, Semi-Long, Long, Standard lens) *No LENS PLC-XF31N *S200 ANSI lumens, 10400 ANSI lumens twin-stacked *True XGA (1024 x 768), compressed UXGA (1600 x 1200) *50.5 pounds, 17.3" x 9.1" x 23.9" (W x H x D) *Over 90% Uniformity with Contrast Ratio of 800:1 *Power Zoom / Focus, Lens shift up/down with standard lens with 2.0 to 2.6:1 throw ratio *Multi-Versatile platform computer and video inputs(DVI-I available) *P.J Net Organizer platform capable *Real Color Management System with 2 lamps PLC-XF31NL *Same specifications as PLC-XF31N. No lens. 46.3 pounds *10 kinds of Optional lenses available: (Short, Semi-Long, Long, Standard lens) *P.C-XF31NL *Same specifications as PLC-XF31N. No lens. 46.3 pounds *10 kinds of Optional lenses available: (Short, Semi-Long, Long, Standard lens) *No LENS *True XGA (1024 x 768), compressed UXGA (1600 x 1200) *78.3 pounds, 22.9" x 9.9" x 30.8" (W x H x D) *Over 85% Uniformity with Contrast Ratio of 700:1 *Power Zoom / Focus, Lens shift up/down and side to side *Multi-Versatile platform computer and video inputs(DVI-I available) *4 x 150 Watt UHP lamps *Efficient Lamp Management System with 4 lamps *Efficient Lamp Management System with 4 lamps *			1
*Front Input Terminals with Warp/Edge Blend Capability *DVI-D (HDCP), D-sub15, Five Pin BNC, 3 RCA, S-Video Standard Inputs *Clogged Filter Warning and Built in Test Patterns *Stackable Cabinet and Shutter Function *PLC-XF35N** *6500 ANSI lumens, 13000 ANSI lumens twin-stacked *True XGA (1024 x 768), compressed UXGA (1600 x 1200) *50.5 pounds, 17.3" x 9.1" x 23.9" (W x H x D) *Over 90% Uniformity with Contrast Ratio of 1100:1 *Power 200m / Focus, Lens shirt up/down with standard lens with 2.0 to 2.6:1 throw ratio *Multi-Versetille platform computer and video inputs(DVI-I available) *Real Color Management Software included *P.J. Net Organizer platform capable *2 x 250 Watt UHP lamps *Efficient Lamp Management System with 2 lamps PLC-XF35NL* *Same specifications as PLC-XF35N. No lens. 46.3 pounds *10 kinds of Optional lenses available: (Short, Semi-Long, Long, Standard lens) *NO LENS *So.5 pounds, 17.3" x 9.1" x 23.9" (W x H x D) *Over 90% Uniformity with Contrast Ratio of 800:1 *Power 200m / Focus, Lens shift up/down with standard lens with 2.0 to 2.6:1 throw ratio *Multi-Versatile platform computer and video inputs(DVI-I available) *P J Net Organizer platform capable *Real Color Management Software included *2 x 200 Watt UHP lamps *Efficient Lamp Management Software included *2 x 200 Watt UHP lamps *Title XGA (1024 x 768), compressed UXGA (1600 x 1200) *To Same specifications as PLC-XF31N. No lens. 46.3 pounds *10 kinds of Optional lenses available: (Short, Semi-Long, Long, Standard lens) *PLC-XF31NL* *Same specifications as PLC-XF31N. No lens. 46.3 pounds *10 kinds of Optional lenses available: (Short, Semi-Long, Long, Standard lens) *NO LENS *Title XGA (1024 x 768), compressed UXGA (1600 x 1200) *78.3 pounds, 22.9" x 9.9" x 30.8" (W x H x D) *Over 85% Uniformity with Contrast Ratio of 700:1 *Power Zoon / Focus, Lens shift up/down and side to side *Multi-Versatile platform computer and video inputs(DVI-I available) *4 x 150 Watt UHP lamps *Efficient Lamp Management System with 4 lamps *Efficient Lamp Man			$\mathcal{N}\mathcal{U}$
*DVI-D (HDCP), D-sub15, Five Pin BNC, 3 RCA, S-Video Standard Inputs *Clogged Filter Warning and Built in Test Patterns *Stackable Cabinet and Shutter Function PLC-XF35N *6500 ANSI lumens, 13000 ANSI lumens twin-stacked *True XGA (1024 x 768), compressed UXGA (1600 x 1200) *50.5 pounds, 17.3" x 9.1" x 23.9" (W x H x D) *Over 90% Uniformity with Contrast Ratio of 1100:1 *Power Zoom / Focus, Lens shift up/down with standard lens with 2.0 to 2.6:1 throw ratio *Multi-Versatile platform computer and video inputs(DVI-I available) *Real Color Management Software included *P.I Net Organizer platform capable 2 x x 250 Watt UHP lamps *Efficient Lamp Management System with 2 lamps PLC-XF35NL *Same specifications as PLC-XF35N. No lens. 46.3 pounds *10 kinds of Optional lenses available: (Short, Semi-Long, Long, Standard lens) PLC-XF31N *5200 ANSI lumens, 10400 ANSI lumens twin-stacked *10 kinds of Optional lenses available: (Short, Semi-Long, Long, Standard lens) *True XGA (1024 x 768), compressed UXGA (1600 x 1200) *50.5 pounds, 17.3" x 9.1" x 23.9" (W x H x D) *Over 90% Uniformity with Contrast Ratio of 800:1 *Power Zoom / Focus, Lens shift up/down with standard lens with 2.0 to 2.6:1 throw ratio *Multi-Versatile platform computer and video inputs(DVI-I available) *Real Color Management Software included *2 x x 200 Watt UHP lamps *Efficient Lamp Management Software included *2 x 200 Watt UHP lamps *Efficient Lamp Management Software included *7 x 8 x 200 Watt UHP lamps *Courre Row			New >
* Clogged Filter Warning and Built in Test Patterns * Stackable Cabinet and Shutter Function PLC-XF35N * 6500 ANSI lumens, 13000 ANSI lumens twin-stacked * True XGA (1024 x 768), compressed UXGA (1600 x 1200) * 50.5 pounds, 17.3" x 9.1" x 23.9" (W x H x D) * Over 90% Uniformity with Contrast Ratio of 1100:1 * Power Zoom / Focus, Lens shift up/down with standard lens with 2.0 to 2.6:1 throw ratio * Multi-Versatile platform computer and video inputs(DVI-I available) * Real Color Management Software included * P.I Net Organizer platform capable * 2 x 250 Watt UHP lamps * Efficient Lamp Management System with 2 lamps PLC-XF35NL * Same specifications as PLC-XF35N. No lens. 46.3 pounds * 10 kinds of Optional lenses available: (Short, Semi-Long, Long, Standard lens) PLC-XF31N * \$200 ANSI lumens, 10400 ANSI lumens twin-stacked * True XGA (1024 x 768), compressed UXGA (1600 x 1200) * 50.5 pounds, 17.3" x 9.1" x 23.9" (W x H x D) * Over 90% Uniformity with Contrast Ratio of 800:1 * Power Zoom / Focus, Lens shift up/down with standard lens with 2.0 to 2.6:1 throw ratio * Multi-Versatile platform capable * Real Color Management Software included * 2 x 200 Watt UHP lamps * Efficient Lamp Management System with 2 lamps PLC-XF31NL * Same specifications as PLC-XF31N. No lens. 46.3 pounds * 10 kinds of Optional lenses available: (Short, Semi-Long, Long, Standard lens) * Same specifications as PLC-XF31N. No lens. 46.3 pounds * 10 kinds of Optional lenses available: (Short, Semi-Long, Long, Standard lens) * Same specifications as PLC-XF31N. No lens. 46.3 pounds * 10 kinds of Optional lenses available: (Short, Semi-Long, Long, Standard lens) * Same specifications as PLC-XF31N. No lens. 46.3 pounds * 10 kinds of Optional lenses available: (Short, Semi-Long, Long, Standard lens) * Same specifications as PLC-XF31N. No lens. 46.3 pounds * 10 kinds of Optional lenses available: (Short, Semi-Long, Long, Standard lens) * Over 85% Uniformity with Contrast Ratio of 700:1 * Power Zoom / Focus, Lens shift up/down and side to side *			5
* Stackable Cabinet and Shutter Function PLC-XF35N		* Clogged Filter Westing and Built in Text Betterns	
PLC-XF35N			
* True XGA (1024 x 768), compressed UXGA (1600 x 1200) * 50.5 pounds, 17.3" x 9.1" x 23.9" (W x H x D) * Over 90% Uniformity with Contrast Ratio of 1100:1 * Power Zoom / Focus, Lens shift up/down with standard lens with 2.0 to 2.6:1 throw ratio * Multi-Versatile platform computer and video inputs(DVI-I available) * Real Color Management Software included * PJ Net Organizer platform capable * 2 x 250 Watt UHP lamps * Efficient Lamp Management System with 2 lamps PLC-XF35NL * Same specifications as PLC-XF35N. No lens. 46.3 pounds * 10 kinds of Optional lenses available: (Short, Semi-Long, Long, Standard lens) PLG-XF31N * 5200 ANSI lumens, 10400 ANSI lumens twin-stacked * True XGA (1024 x 768), compressed UXGA (1600 x 1200) * 50.5 pounds, 17.3" x 9.1" x 23.9" (W x H x D) * Over 90% Uniformity with Contrast Ratio of 800:1 * Power Zoom / Focus, Lens shift up/down with standard lens with 2.0 to 2.6:1 throw ratio * Multi-Versatile platform computer and video inputs(DVI-I available) * PJ Net Organizer platform capable * Real Color Management Software included * 2 x 200 Watt UHP lamps * Efficient Lamp Management System with 2 lamps PLC-XF31NL * Same specifications as PLC-XF31N. No lens. 46.3 pounds * 10 kinds of Optional lenses available: (Short, Semi-Long, Long, Standard lens) * Same specifications as PLC-XF31N. No lens. 46.3 pounds * 10 kinds of Optional lenses available: (Short, Semi-Long, Long, Standard lens) * Same specifications as PLC-XF31N. No lens. 46.3 pounds * 10 kinds of Optional lenses available: (Short, Semi-Long, Long, Standard lens) * Same specifications as PLC-XF31N. No lens. 46.3 pounds * 10 kinds of Optional lenses available: (Short, Semi-Long, Long, Standard lens) * Same specifications as PLC-XF31N. No lens. 46.3 pounds * 10 kinds of Optional lenses available: (Short, Semi-Long, Long, Standard lens) * Same specifications as PLC-XF31N. No lens. 46.3 pounds * 10 kinds of Optional lenses available: (Short, Semi-Long, Long, Standard lens) * Same specifications as PLC-XF31N. No lens. 46.3 pou		Stackable Cabillet and Shutter Function	
* True XGA (1024 x 768), compressed UXGA (1600 x 1200) * 50.5 pounds, 17.3" x 9.1" x 23.9" (W x H x D) * Over 90% Uniformity with Contrast Ratio of 1100:1 * Power Zoom / Focus, Lens shift up/down with standard lens with 2.0 to 2.6:1 throw ratio * Multi-Versatile platform computer and video inputs(DVI-I available) * Real Color Management Software included * PJ Net Organizer platform capable * 2 x 250 Watt UHP lamps * Efficient Lamp Management System with 2 lamps PLC-XF35NL * Same specifications as PLC-XF35N. No lens. 46.3 pounds * 10 kinds of Optional lenses available: (Short, Semi-Long, Long, Standard lens) PLG-XF31N * 5200 ANSI lumens, 10400 ANSI lumens twin-stacked * True XGA (1024 x 768), compressed UXGA (1600 x 1200) * 50.5 pounds, 17.3" x 9.1" x 23.9" (W x H x D) * Over 90% Uniformity with Contrast Ratio of 800:1 * Power Zoom / Focus, Lens shift up/down with standard lens with 2.0 to 2.6:1 throw ratio * Multi-Versatile platform computer and video inputs(DVI-I available) * PJ Net Organizer platform capable * Real Color Management Software included * 2 x 200 Watt UHP lamps * Efficient Lamp Management System with 2 lamps PLC-XF31NL * Same specifications as PLC-XF31N. No lens. 46.3 pounds * 10 kinds of Optional lenses available: (Short, Semi-Long, Long, Standard lens) * Same specifications as PLC-XF31N. No lens. 46.3 pounds * 10 kinds of Optional lenses available: (Short, Semi-Long, Long, Standard lens) * Same specifications as PLC-XF31N. No lens. 46.3 pounds * 10 kinds of Optional lenses available: (Short, Semi-Long, Long, Standard lens) * Same specifications as PLC-XF31N. No lens. 46.3 pounds * 10 kinds of Optional lenses available: (Short, Semi-Long, Long, Standard lens) * Same specifications as PLC-XF31N. No lens. 46.3 pounds * 10 kinds of Optional lenses available: (Short, Semi-Long, Long, Standard lens) * Same specifications as PLC-XF31N. No lens. 46.3 pounds * 10 kinds of Optional lenses available: (Short, Semi-Long, Long, Standard lens) * Same specifications as PLC-XF31N. No lens. 46.3 pou	PLC-XE35N	* 6500 ANSI lumens 13000 ANSI lumens twin stacked	£40,005,00
*50.5 pounds, 17.3" × 9.1" × 23.9" (W x H x D) * Over 90% Uniformity with Contrast Ratio of 1100:1 *Power Zoom / Focus, Lens shift up/down with standard lens with 2.0 to 2.6:1 throw ratio *Multi-Versatile platform computer and video inputs(DVI-I available) *Real Color Management Software included *PJ Net Organizer platform capable *2 x 250 Watt UHP lamps *Efficient Lamp Management System with 2 lamps *In kinds of Optional lenses available: (Short, Semi-Long, Long, Standard lens) *Same specifications as PLC-XF35N. No lens. 46.3 pounds *10 kinds of Optional lenses available: (Short, Semi-Long, Long, Standard lens) **Decay Soon Ansi lumens, 10400 Ansi lumens twin-stacked *True XGA (1024 x 768), compressed UXGA (1600 x 1200) *50.5 pounds, 17.3" x 9.1" x 23.9" (W x H x D) *Over 90% Uniformity with Contrast Ratio of 800:1 *Power Zoom / Focus, Lens shift up/down with standard lens with 2.0 to 2.6:1 throw ratio *Multi-Versatile platform computer and video inputs(DVI-I available) *P J Net Organizer platform capable *Real Color Management Software included *2 x 200 Watt UHP lamps *Efficient Lamp Management System with 2 lamps *Ifficient Lamp Management System with 2 lamps *True XGA (1024 x 768), compressed UXGA (1600 x 1200) *78.3 pounds, 22.9" x 9.9" x 30.8" (W x H x D) *Over 85% Uniformity with Contrast Ratio of 700:1 *Power Zoom / Focus, Lens shift up/down and side to side *Multi-Versatile platform computer and video inputs(DVI-I available) *4 x 150 Watt UHP lamps *Efficient Lamp Management System with 4 lamps *Efficient Lamp Management System with 4 lamps *Efficient Lamp Management System with 4 lamps	1 20 XI 00X	* True XGA (1024 x 768), compressed LIXGA (1600 x 1200)	\$19,995.00
*Over 90% Uniformity with Contrast Ratio of 1100:1 *Power Zoom / Focus, Lens shift up/down with standard lens with 2.0 to 2.6:1 throw ratio *Multi-Versatile platform computer and video inputs(DVI-I available) *Real Color Management Software included *P J Net Organizer platform capable 2 x 250 Watt UHP lamps *Efficient Lamp Management System with 2 lamps PLC-XF35NL *Same specifications as PLC-XF35N. No lens. 46.3 pounds *10 kinds of Optional lenses available: (Short, Semi-Long, Long, Standard lens) NO LENS PLC-XF31N *5200 ANSI lumens, 10400 ANSI lumens twin-stacked *True XGA (1024 x 768), compressed UXGA (1600 x 1200) *50.5 pounds, 17.3" x 9.1" x 23.9" (W x H x D) *Over 90% Uniformity with Contrast Ratio of 800:1 *Power Zoom / Focus, Lens shift up/down with standard lens with 2.0 to 2.6:1 throw ratio *Multi-Versatile platform computer and video inputs(DVI-I available) *P J Net Organizer platform capable *Real Color Management Software included *2 x 200 Watt UHP lamps *Efficient Lamp Management System with 2 lamps PLC-XF31NL *Same specifications as PLC-XF31N. No lens. 46.3 pounds *10 kinds of Optional lenses available: (Short, Semi-Long, Long, Standard lens) PLG-XF20 *5000 ANSI lumens, 10000 ANSI lumens twin-stacked, no lens *True XGA (1024 x 768), compressed UXGA (1600 x 1200) *78.3 pounds, 22.9" x 9.9" x 30.8" (W x H x D) *Over 85% Uniformity with Contrast Ratio of 700:1 *Power Zoom / Focus, Lens shift up/down and side to side *Multi-Versatile platform computer and video inputs(DVI-I available) *4 x 150 Watt UHP lamps *Efficient Lamp Management System with 4 lamps *Efficient Lamp Management System with 4 lamps *Efficient Lamp Management System with 4 lamps		* 50.5 pounds, 17.3" x 9.1" x 23.9" (W x H x D)	
* Power Zoom / Focus, Lens shift up/down with standard lens with 2.0 to 2.6:1 throw ratio * Multi-Versatile platform computer and video inputs(DVI-I available) * Real Color Management Software included * PJ Net Organizer platform capable * 2 x 250 Watt UHP lamps * Efficient Lamp Management System with 2 lamps PLC-XF35NL * Same specifications as PLC-XF35N. No lens. 46.3 pounds * 10 kinds of Optional lenses available: (Short, Semi-Long, Long, Standard lens) PLC-XF31N * 5200 ANSI lumens, 10400 ANSI lumens twin-stacked * True XGA (1024 x 768), compressed UXGA (1600 x 1200) * 50.5 pounds, 17.3" x 9.1" x 23.9" (W x H x D) * Over 90% Uniformity with Contrast Ratio of 800:1 * Power Zoom / Focus, Lens shift up/down with standard lens with 2.0 to 2.6:1 throw ratio * Multi-Versatile platform computer and video inputs(DVI-I available) * PJ Net Organizer platform capable * Real Color Management Software included * 2 x 200 Watt UHP lamps * Efficient Lamp Management System with 2 lamps PLC-XF31NL * Same specifications as PLC-XF31N. No lens. 46.3 pounds * 10 kinds of Optional lenses available: (Short, Semi-Long, Long, Standard lens) PLC-XF20 * 5000 ANSI lumens, 10000 ANSI lumens twin-stacked, no lens * True XGA (1024 x 768), compressed UXGA (1600 x 1200) * 78.3 pounds, 22.9" x 9.9" x 30.8" (W x H x D) * Over 85% Uniformity with Contrast Ratio of 700:1 * Power Zoom / Focus, Lens shift up/down and side to side * Multi-Versatile platform computer and video inputs(DVI-I available) * 4 x 150 Watt UHP lamps * Efficient Lamp Management System with 4 lamps * Efficient Lamp Management System with 4 lamps * Efficient Lamp Management System with 4 lamps		* Over 90% Uniformity with Contrast Ratio of 1100:1	
* Multi-Versatile platform computer and video inputs(DVI-I available) * Real Color Management Software included * P.J Net Organizer platform capable * 2 x 250 Watt UHP lamps * Efficient Lamp Management System with 2 lamps PLC-XF35NL * Same specifications as PLC-XF35N. No lens. 46.3 pounds * 10 kinds of Optional lenses available: (Short, Semi-Long, Long, Standard lens) PLC-XF31N * 5200 ANSI lumens, 10400 ANSI lumens twin-stacked * True XGA (1024 x 768), compressed UXGA (1600 x 1200) * 50.5 pounds, 17.3" x 9.1" x 23.9" (W x H x D) * Over 90% Uniformity with Contrast Ratio of 800:1 * Power Zoom / Focus, Lens shift up/down with standard lens with 2.0 to 2.6:1 throw ratio * Multi-Versatile platform computer and video inputs(DVI-I available) * P.J Net Organizer platform capable * Real Color Management Software included * 2 x 200 Watt UHP lamps * Efficient Lamp Management System with 2 lamps PLC-XF31NL * Same specifications as PLC-XF31N. No lens. 46.3 pounds * 10 kinds of Optional lenses available: (Short, Semi-Long, Long, Standard lens) * Same specifications as PLC-XF31N. No lens. 46.3 pounds * 10 kinds of Optional lenses available: (Short, Semi-Long, Long, Standard lens) * Same specifications as PLC-XF31N. No lens. 46.3 pounds * 10 kinds of Optional lenses available: (Short, Semi-Long, Long, Standard lens) * Same specifications as PLC-XF31N. No lens. 46.3 pounds * 10 kinds of Optional lenses available: (Short, Semi-Long, Long, Standard lens) * Same specifications as PLC-XF31N. No lens. 46.3 pounds * 10 kinds of Optional lenses available: (Short, Semi-Long, Long, Standard lens) * Same specifications as PLC-XF31N. No lens. 46.3 pounds * 10 kinds of Optional lenses available: (Short, Semi-Long, Long, Standard lens) * Same specifications as PLC-XF31N. No lens. 46.3 pounds * 10 kinds of Optional lenses available: (Short, Semi-Long, Long, Standard lens) * Same specifications as PLC-XF31N. No lens. 46.3 pounds * 10 kinds of Optional lenses available: (Short, Semi-Long, Long, Standard lens		* Power Zoom / Focus, Lens shift up/down with standard lens with 2.0 to 2.6:1 throw ra	atio
* Real Color Management Software included * PJ Net Organizer platform capable * 2 x 250 Watt UHP lamps * Efficient Lamp Management System with 2 lamps * Efficient Lamp Management System with 2 lamps * Efficient Lamp Management System with 2 lamps * Same specifications as PLC-XF35N. No lens. 46.3 pounds * 10 kinds of Optional lenses available: (Short, Semi-Long, Long, Standard lens) * S200 ANSI lumens, 10400 ANSI lumens twin-stacked * True XGA (1024 x 768), compressed UXGA (1600 x 1200) * 50.5 pounds, 17.3" x 9.1" x 23.9" (W x H x D) * Over 90% Uniformity with Contrast Ratio of 800:1 * Power Zoom / Focus, Lens shift up/down with standard lens with 2.0 to 2.6:1 throw ratio * Multi-Versatile platform computer and video inputs(DVI-I available) * PJ Net Organizer platform capable * Real Color Management System with 2 lamps * Efficient Lamp Management System with 2 lamps * Efficient Lamp Management System with 2 lamps PLC-XF31NL * Same specifications as PLC-XF31N. No lens. 46.3 pounds * 10 kinds of Optional lenses available: (Short, Semi-Long, Long, Standard lens) * Same specifications as PLC-XF31N. No lens. 46.3 pounds * 10 kinds of Optional lenses available: (Short, Semi-Long, Long, Standard lens) * True XGA (1024 x 768), compressed UXGA (1600 x 1200) * 78.3 pounds, 22.9" x 9.9" x 30.8" (W x H x D) * Over 85% Uniformity with Contrast Ratio of 700:1 * Power Zoom / Focus, Lens shift up/down and side to side * Multi-Versatile platform computer and video inputs(DVI-I available) * 4 x 150 Watt UHP lamps * Efficient Lamp Management System with 4 lamps * Efficient Lamp Management System with 4 lamps		* Multi-Versatile platform computer and video inputs(DVI-I available)	
* PJ Net Organizer platform capable * 2 x 250 Watt UHP lamps * Efficient Lamp Management System with 2 lamps PLC-XF35NL * Same specifications as PLC-XF35N. No lens. 46.3 pounds * 10 kinds of Optional lenses available: (Short, Semi-Long, Long, Standard lens) PLC-XF31NL * 5200 ANSI lumens, 10400 ANSI lumens twin-stacked * True XGA (1024 x 768), compressed UXGA (1600 x 1200) * 50.5 pounds, 17.3" x 9.1" x 23.9" (W x H x D) * Over 90% Uniformity with Contrast Ratio of 800:1 * Power Zoom / Focus, Lens shift up/down with standard lens with 2.0 to 2.6:1 throw ratio * Multi-Versatile platform capable * Real Color Management Software included * 2 x 200 Watt UHP lamps * Efficient Lamp Management System with 2 lamps PLC-XF31NL * Same specifications as PLC-XF31N. No lens. 46.3 pounds * 10 kinds of Optional lenses available: (Short, Semi-Long, Long, Standard lens) PLC-XF20 * 5000 ANSI lumens, 10000 ANSI lumens twin-stacked, no lens * True XGA (1024 x 768), compressed UXGA (1600 x 1200) * 78.3 pounds, 22.9" x 9.9" x 30.8" (W x H x D) * Over 85% Uniformity with Contrast Ratio of 700:1 * Power Zoom / Focus, Lens shift up/down and side to side * Multi-Versatile platform computer and video inputs(DVI-I available) * 4 x 150 Watt UHP lamps * Efficient Lamp Management System with 4 lamps * Efficient Lamp Management System with 4 lamps * Efficient Lamp Management System with 4 lamps		* Real Color Management Software included	
* Efficient Lamp Management System with 2 lamps * Same specifications as PLC-XF35N. No lens. 46.3 pounds * 10 kinds of Optional lenses available: (Short, Semi-Long, Long, Standard lens) * S200 ANSI lumens, 10400 ANSI lumens twin-stacked * True XGA (1024 x 768), compressed UXGA (1600 x 1200) * 50.5 pounds, 17.3" x 9.1" x 23.9" (W x H x D) * Over 90% Uniformity with Contrast Ratio of 800:1 * Power Zoom / Focus, Lens shift up/down with standard lens with 2.0 to 2.6:1 throw ratio * Multi-Versatile platform computer and video inputs(DVI-I available) * PJ Net Organizer platform capable * Real Color Management Software included * 2 x 200 Walt UHP lamps * Efficient Lamp Management System with 2 lamps PLC-XF31NL * Same specifications as PLC-XF31N. No lens. 46.3 pounds * 10 kinds of Optional lenses available: (Short, Semi-Long, Long, Standard lens) PLC-XF20 * 5000 ANSI lumens, 10000 ANSI lumens twin-stacked, no lens * True XGA (1024 x 768), compressed UXGA (1600 x 1200) * 78.3 pounds, 22.9" x 9.9" x 30.8" (W x H x D) * Over 85% Uniformity with Contrast Ratio of 700:1 * Power Zoom / Focus, Lens shift up/down and side to side * Multi-Versatile platform computer and video inputs(DVI-I available) * 4 x 150 Watt UHP lamps * Efficient Lamp Management System with 4 lamps		* PJ Net Organizer platform capable	
PLC-XF35NL * Same specifications as PLC-XF35N. No lens. 46.3 pounds * 10 kinds of Optional lenses available: (Short, Semi-Long, Long, Standard lens) * 5200 ANSI lumens, 10400 ANSI lumens twin-stacked * True XGA (1024 x 768), compressed UXGA (1800 x 1200) * 50.5 pounds, 17.3" x 9.1" x 23.9" (W x H x D) * Over 90% Uniformity with Contrast Ratio of 800:1 * Power Zoom / Focus, Lens shift up/down with standard lens with 2.0 to 2.6:1 throw ratio * Multi-Versatile platform computer and video inputs(DVI-I available) * P.P.I Net Organizer platform capable * Real Color Management Software included * 2 x 200 Watt UHP lamps * Efficient Lamp Management System with 2 lamps PLC-XF31NL * Same specifications as PLC-XF31N. No lens. 46.3 pounds * 10 kinds of Optional lenses available: (Short, Semi-Long, Long, Standard lens) PLC-XF20 * 5000 ANSI lumens, 10000 ANSI lumens twin-stacked, no lens * True XGA (1024 x 768), compressed UXGA (1600 x 1200) * 78.3 pounds, 22.9" x 9.9" x 30.8" (W x H x D) * Over 85% Uniformity with Contrast Ratio of 700:1 * Power Zoom / Focus, Lens shift up/down and side to side * Multi-Versatile platform computer and video inputs(DVI-I available) * 4 x 150 Watt UHP lamps * Efficient Lamp Management System with 4 lamps		* 2 x 250 Watt UHP lamps	
* 10 kinds of Optional lenses available: (Short, Semi-Long, Long, Standard lens) PLC-XF31N * 5200 ANSI lumens, 10400 ANSI lumens twin-stacked * True XGA (1024 x 768), compressed UXGA (1600 x 1200) * 50.5 pounds, 17.3" x 9.1" x 23.9" (W x H x D) * Over 90% Uniformity with Contrast Ratio of 800:1 * Power Zoom / Focus, Lens shift up/down with standard lens with 2.0 to 2.6:1 throw ratio * Multi-Versatile platform computer and video inputs(DVI-I available) * PJ Net Organizer platform capable * Real Color Management Software included * 2 x 200 Watt UHP lamps * Efficient Lamp Management System with 2 lamps PLC-XF31NL * Same specifications as PLC-XF31N. No lens. 46.3 pounds * 10 kinds of Optional lenses available: (Short, Semi-Long, Long, Standard lens) PLC-XF20 * 5000 ANSI lumens, 10000 ANSI lumens twin-stacked, no lens * True XGA (1024 x 768), compressed UXGA (1600 x 1200) * 78.3 pounds, 22.9" x 9.9" x 30.8" (W x H x D) * Over 85% Uniformity with Contrast Ratio of 700:1 * Power Zoom / Focus, Lens shift up/down and side to side * Multi-Versatile platform computer and video inputs(DVI-I available) * 4 x 150 Watt UHP lamps * Efficient Lamp Management System with 4 lamps		* Efficient Lamp Management System with 2 lamps	
* 10 kinds of Optional lenses available: (Short, Semi-Long, Long, Standard lens) PLC-XF31N * 5200 ANSI lumens, 10400 ANSI lumens twin-stacked * True XGA (1024 x 768), compressed UXGA (1600 x 1200) * 50.5 pounds, 17.3" x 9.1" x 23.9" (W x H x D) * Over 90% Uniformity with Contrast Ratio of 800:1 * Power Zoom / Focus, Lens shift up/down with standard lens with 2.0 to 2.6:1 throw ratio * Multi-Versatile platform computer and video inputs(DVI-I available) * PJ Net Organizer platform capable * Real Color Management Software included * 2 x 200 Watt UHP lamps * Efficient Lamp Management System with 2 lamps PLC-XF31NL * Same specifications as PLC-XF31N. No lens. 46.3 pounds * 10 kinds of Optional lenses available: (Short, Semi-Long, Long, Standard lens) PLC-XF20 * 5000 ANSI lumens, 10000 ANSI lumens twin-stacked, no lens * True XGA (1024 x 768), compressed UXGA (1600 x 1200) * 78.3 pounds, 22.9" x 9.9" x 30.8" (W x H x D) * Over 85% Uniformity with Contrast Ratio of 700:1 * Power Zoom / Focus, Lens shift up/down and side to side * Multi-Versatile platform computer and video inputs(DVI-I available) * 4 x 150 Watt UHP lamps * Efficient Lamp Management System with 4 lamps	D. 0.1/2021		
PLC-XF31N * 5200 ANSI lumens, 10400 ANSI lumens twin-stacked * True XGA (1024 x 768), compressed UXGA (1600 x 1200) * 50.5 pounds, 17.3" x 9.1" x 23.9" (W x H x D) * Over 90% Uniformity with Contrast Ratio of 800:1 * Power Zoom / Focus, Lens shift up/down with standard lens with 2.0 to 2.6:1 throw ratio * Multi-Versatile platform computer and video inputs(DVI-I available) * PJ Net Organizer platform capable * Real Color Management Software included * 2 x 200 Watt UHP lamps * Efficient Lamp Management System with 2 lamps PLC-XF31NL * Same specifications as PLC-XF31N. No lens. 46.3 pounds * 10 kinds of Optional lenses available: (Short, Semi-Long, Long, Standard lens) PLC-XF20 * 5000 ANSI lumens, 10000 ANSI lumens twin-stacked, no lens * True XGA (1024 x 768), compressed UXGA (1600 x 1200) * 78.3 pounds, 22.9" x 9.9" x 30.8" (W x H x D) * Over 85% Uniformity with Contrast Ratio of 700:1 * Power Zoom / Focus, Lens shift up/down and side to side * Multi-Versatile platform computer and video inputs(DVI-I available) * 4 x 150 Watt UHP lamps * Efficient Lamp Management System with 4 lamps * Efficient Lamp Management System with 4 lamps	PLC-XF35NL	* Same specifications as PLC-XF35N. No lens. 46.3 pounds	\$18,995.00 NO LENS
* True XGA (1024 x 768), compressed UXGA (1600 x 1200) * 50.5 pounds, 17.3" x 9.1" x 23.9" (W x H x D) * Over 90% Uniformity with Contrast Ratio of 800:1 * Power Zoom / Focus, Lens shift up/down with standard lens with 2.0 to 2.6:1 throw ratio * Multi-Versatile platform computer and video inputs(DVI-I available) * PJ Net Organizer platform capable * Real Color Management Software included * 2 x 200 Watt UHP lamps * Efficient Lamp Management System with 2 lamps PLC-XF31NL * Same specifications as PLC-XF31N. No lens. 46.3 pounds * 10 kinds of Optional lenses available: (Short, Semi-Long, Long, Standard lens) PLC-XF20 * 5000 ANSI lumens, 10000 ANSI lumens twin-stacked, no lens * True XGA (1024 x 768), compressed UXGA (1600 x 1200) * 78.3 pounds, 22.9" x 9.9" x 30.8" (W x H x D) * Over 85% Uniformity with Contrast Ratio of 700:1 * Power Zoom / Focus, Lens shift up/down and side to side * Multi-Versatile platform computer and video inputs(DVI-I available) * 4 x 150 Watt UHP lamps * Efficient Lamp Management System with 4 lamps		To kinds of Optional lenses available: (Short, Semi-Long, Long, Standard lens)	NO LENS
* True XGA (1024 x 768), compressed UXGA (1600 x 1200) * 50.5 pounds, 17.3" x 9.1" x 23.9" (W x H x D) * Over 90% Uniformity with Contrast Ratio of 800:1 * Power Zoom / Focus, Lens shift up/down with standard lens with 2.0 to 2.6:1 throw ratio * Multi-Versatile platform computer and video inputs(DVI-I available) * PJ Net Organizer platform capable * Real Color Management Software included * 2 x 200 Watt UHP lamps * Efficient Lamp Management System with 2 lamps PLC-XF31NL * Same specifications as PLC-XF31N. No lens. 46.3 pounds * 10 kinds of Optional lenses available: (Short, Semi-Long, Long, Standard lens) PLC-XF20 * 5000 ANSI lumens, 10000 ANSI lumens twin-stacked, no lens * True XGA (1024 x 768), compressed UXGA (1600 x 1200) * 78.3 pounds, 22.9" x 9.9" x 30.8" (W x H x D) * Over 85% Uniformity with Contrast Ratio of 700:1 * Power Zoom / Focus, Lens shift up/down and side to side * Multi-Versatile platform computer and video inputs(DVI-I available) * 4 x 150 Watt UHP lamps * Efficient Lamp Management System with 4 lamps	PLC-XF31N	* 5200 ANSI lumens 10400 ANSI lumens twin stacked	C45.005.00
* 50.5 pounds, 17.3" x 9.1" x 23.9" (W x H x D) * Over 90% Uniformity with Contrast Ratio of 800:1 * Power Zoom / Focus, Lens shift up/down with standard lens with 2.0 to 2.6:1 throw ratio * Multi-Versatile platform computer and video inputs(DVI-I available) * PJ Net Organizer platform capable * Real Color Management Software included * 2 x 200 Watt UHP lamps * Efficient Lamp Management System with 2 lamps PLC-XF31NL * Same specifications as PLC-XF31N. No lens. 46.3 pounds * 10 kinds of Optional lenses available: (Short, Semi-Long, Long, Standard lens) PLC-XF20 * 5000 ANSI lumens, 10000 ANSI lumens twin-stacked, no lens * True XGA (1024 x 768), compressed UXGA (1600 x 1200) * 78.3 pounds, 22.9" x 9.9" x 30.8" (W x H x D) * Over 85% Uniformity with Contrast Ratio of 700:1 * Power Zoom / Focus, Lens shift up/down and side to side * Multi-Versatile platform computer and video inputs(DVI-I available) * 4 x 150 Watt UHP lamps * Efficient Lamp Management System with 4 lamps		* True XGA (1024 x 768), compressed LIXGA (1600 x 1200)	\$15,995.00
* Over 90% Uniformity with Contrast Ratio of 800:1 * Power Zoom / Focus, Lens shift up/down with standard lens with 2.0 to 2.6:1 throw ratio * Multi-Versatile platform computer and video inputs(DVI-I available) * PJ Net Organizer platform capable * Real Color Management Software included * 2 x 200 Watt UHP lamps * Efficient Lamp Management System with 2 lamps PLC-XF31NL * Same specifications as PLC-XF31N. No lens. 46.3 pounds * 10 kinds of Optional lenses available: (Short, Semi-Long, Long, Standard lens) PLC-XF20 * 5000 ANSI lumens, 10000 ANSI lumens twin-stacked, no lens * True XGA (1024 x 768), compressed UXGA (1600 x 1200) * 78.3 pounds, 22.9" x 9.9" x 30.8" (W x H x D) * Over 85% Uniformity with Contrast Ratio of 700:1 * Power Zoom / Focus, Lens shift up/down and side to side * Multi-Versatile platform computer and video inputs(DVI-I available) * 4 x 150 Watt UHP lamps * Efficient Lamp Management System with 4 lamps		* 50.5 pounds, 17.3" x 9.1" x 23.9" (W x H x D)	
* Power Zoom / Focus, Lens shift up/down with standard lens with 2.0 to 2.6:1 throw ratio * Multi-Versatile platform computer and video inputs(DVI-I available) * PJ Net Organizer platform capable * Real Color Management Software included * 2 x 200 Watt UHP lamps * Efficient Lamp Management System with 2 lamps * Efficient Lamp Management System with 2 lamps PLC-XF31NL * Same specifications as PLC-XF31N. No lens. 46.3 pounds * 10 kinds of Optional lenses available: (Short, Semi-Long, Long, Standard lens) PLC-XF20 * 5000 ANSI lumens, 10000 ANSI lumens twin-stacked, no lens * True XGA (1024 x 768), compressed UXGA (1600 x 1200) * 78.3 pounds, 22.9" x 9.9" x 30.8" (W x H x D) * Over 85% Uniformity with Contrast Ratio of 700:1 * Power Zoom / Focus, Lens shift up/down and side to side * Multi-Versatile platform computer and video inputs(DVI-I available) * 4 x 150 Watt UHP lamps * Efficient Lamp Management System with 4 lamps		* Over 90% Uniformity with Contrast Ratio of 800:1	
* Multi-Versatile platform computer and video inputs(DVI-I available) * PJ Net Organizer platform capable * Real Color Management Software included * 2 x 200 Watt UHP lamps * Efficient Lamp Management System with 2 lamps PLC-XF31NL * Same specifications as PLC-XF31N. No lens. 46.3 pounds * 10 kinds of Optional lenses available: (Short, Semi-Long, Long, Standard lens) * 5000 ANSI lumens, 10000 ANSI lumens twin-stacked, no lens * True XGA (1024 x 768), compressed UXGA (1600 x 1200) * 78.3 pounds, 22.9" x 9.9" x 30.8" (W x H x D) * Over 85% Uniformity with Contrast Ratio of 700:1 * Power Zoom / Focus, Lens shift up/down and side to side * Multi-Versatile platform computer and video inputs(DVI-I available) * 4 x 150 Watt UHP lamps * Efficient Lamp Management System with 4 lamps		* Power Zoom / Focus, Lens shift up/down with standard lens with 2.0 to 2.6:1 throw ra	atio
* PJ Net Organizer platform capable * Real Color Management Software included * 2 x 200 Watt UHP lamps * Efficient Lamp Management System with 2 lamps PLC-XF31NL * Same specifications as PLC-XF31N. No lens. 46.3 pounds * 10 kinds of Optional lenses available: (Short, Semi-Long, Long, Standard lens) PLC-XF20 * 5000 ANSI lumens, 10000 ANSI lumens twin-stacked, no lens * True XGA (1024 x 768), compressed UXGA (1600 x 1200) * 78.3 pounds, 22.9" x 9.9" x 30.8" (W x H x D) * Over 85% Uniformity with Contrast Ratio of 700:1 * Power Zoom / Focus, Lens shift up/down and side to side * Multi-Versatile platform computer and video inputs(DVI-I available) * 4 x 150 Watt UHP lamps * Efficient Lamp Management System with 4 lamps		* Multi-Versatile platform computer and video inputs(DVI-I available)	
* 2 x 200 Watt UHP lamps * Efficient Lamp Management System with 2 lamps PLC-XF31NL * Same specifications as PLC-XF31N. No lens. 46.3 pounds * 10 kinds of Optional lenses available: (Short, Semi-Long, Long, Standard lens) PLC-XF20 * 5000 ANSI lumens, 10000 ANSI lumens twin-stacked, no lens * True XGA (1024 x 768), compressed UXGA (1600 x 1200) * 78.3 pounds, 22.9" x 9.9" x 30.8" (W x H x D) * Over 85% Uniformity with Contrast Ratio of 700:1 * Power Zoom / Focus, Lens shift up/down and side to side * Multi-Versatile platform computer and video inputs(DVI-I available) * 4 x 150 Watt UHP lamps * Efficient Lamp Management System with 4 lamps		* PJ Net Organizer platform capable	
* 2 x 200 Watt UHP lamps * Efficient Lamp Management System with 2 lamps PLC-XF31NL * Same specifications as PLC-XF31N. No lens. 46.3 pounds * 10 kinds of Optional lenses available: (Short, Semi-Long, Long, Standard lens) PLC-XF20 * 5000 ANSI lumens, 10000 ANSI lumens twin-stacked, no lens * True XGA (1024 x 768), compressed UXGA (1600 x 1200) * 78.3 pounds, 22.9" x 9.9" x 30.8" (W x H x D) * Over 85% Uniformity with Contrast Ratio of 700:1 * Power Zoom / Focus, Lens shift up/down and side to side * Multi-Versatile platform computer and video inputs(DVI-I available) * 4 x 150 Watt UHP lamps * Efficient Lamp Management System with 4 lamps		* Real Color Management Software included	
* Same specifications as PLC-XF31N. No lens. 46.3 pounds * 10 kinds of Optional lenses available: (Short, Semi-Long, Long, Standard lens) **PLC-XF20** ** 5000 ANSI lumens, 10000 ANSI lumens twin-stacked, no lens * True XGA (1024 x 768), compressed UXGA (1600 x 1200) * 78.3 pounds, 22.9" x 9.9" x 30.8" (W x H x D) **Over 85% Uniformity with Contrast Ratio of 700:1 * Power Zoom / Focus, Lens shift up/down and side to side * Multi-Versatile platform computer and video inputs(DVI-I available) * 4 x 150 Watt UHP lamps * Efficient Lamp Management System with 4 lamps		* 2 x 200 Watt UHP lamps	
* 10 kinds of Optional lenses available: (Short, Semi-Long, Long, Standard lens) * 5000 ANSI lumens, 10000 ANSI lumens twin-stacked, no lens * True XGA (1024 x 768), compressed UXGA (1600 x 1200) * 78.3 pounds, 22.9" x 9.9" x 30.8" (W x H x D) * Over 85% Uniformity with Contrast Ratio of 700:1 * Power Zoom / Focus, Lens shift up/down and side to side * Multi-Versatile platform computer and video inputs(DVI-I available) * 4 x 150 Watt UHP lamps * Efficient Lamp Management System with 4 lamps		* Efficient Lamp Management System with 2 lamps	
* 10 kinds of Optional lenses available: (Short, Semi-Long, Long, Standard lens) * 5000 ANSI lumens, 10000 ANSI lumens twin-stacked, no lens * True XGA (1024 x 768), compressed UXGA (1600 x 1200) * 78.3 pounds, 22.9" x 9.9" x 30.8" (W x H x D) * Over 85% Uniformity with Contrast Ratio of 700:1 * Power Zoom / Focus, Lens shift up/down and side to side * Multi-Versatile platform computer and video inputs(DVI-I available) * 4 x 150 Watt UHP lamps * Efficient Lamp Management System with 4 lamps	DI C VE24NII	* Company if and its angle of the company is a second of the company is a s	
* 5000 ANSI lumens, 10000 ANSI lumens twin-stacked, no lens * True XGA (1024 x 768), compressed UXGA (1600 x 1200) * 78.3 pounds, 22.9" x 9.9" x 30.8" (W x H x D) * Over 85% Uniformity with Contrast Ratio of 700:1 * Power Zoom / Focus, Lens shift up/down and side to side * Multi-Versatile platform computer and video inputs(DVI-I available) * 4 x 150 Watt UHP lamps * Efficient Lamp Management System with 4 lamps	PLC-XF31NL	* 10 kinds of Ontional Janean available: (Short, Sami Janea Janea Chandrachters)	\$14,995.00 NO LENS
* True XGA (1024 x 768), compressed UXGA (1600 x 1200) * 78.3 pounds, 22.9" x 9.9" x 30.8" (W x H x D) * Over 85% Uniformity with Contrast Ratio of 700:1 * Power Zoom / Focus, Lens shift up/down and side to side * Multi-Versatile platform computer and video inputs(DVI-I available) * 4 x 150 Watt UHP lamps * Efficient Lamp Management System with 4 lamps		To kinds of Optional lenses available. (Short, Semi-Long, Long, Standard lens)	NO LENS
* True XGA (1024 x 768), compressed UXGA (1600 x 1200) * 78.3 pounds, 22.9" x 9.9" x 30.8" (W x H x D) * Over 85% Uniformity with Contrast Ratio of 700:1 * Power Zoom / Focus, Lens shift up/down and side to side * Multi-Versatile platform computer and video inputs(DVI-I available) * 4 x 150 Watt UHP lamps * Efficient Lamp Management System with 4 lamps	PLC-XF20	* 5000 ANSI lumens 10000 ANSI lumons triin stocked as less	
* 78.3 pounds, 22.9" x 9.9" x 30.8" (W x H x D) * Over 85% Uniformity with Contrast Ratio of 700:1 * Power Zoom / Focus, Lens shift up/down and side to side * Multi-Versatile platform computer and video inputs(DVI-I available) * 4 x 150 Watt UHP lamps * Efficient Lamp Management System with 4 lamps	20-7(120	* True XGA (1024 x 768) compressed LIXCA (1900 x 1900)	\$12,995.00 CLOSEOUT
* Over 85% Uniformity with Contrast Ratio of 700:1 * Power Zoom / Focus, Lens shift up/down and side to side * Multi-Versatile platform computer and video inputs(DVI-I available) * 4 x 150 Watt UHP lamps * Efficient Lamp Management System with 4 lamps		* 78.3 pounds 22.9" x 9.9" x 30.8" (M/ x H x D)	
* Power Zoom / Focus, Lens shift up/down and side to side * Multi-Versatile platform computer and video inputs(DVI-I available) * 4 x 150 Watt UHP lamps * Efficient Lamp Management System with 4 lamps		* Over 85% Uniformity with Contrast Ratio of 700:1	
* Multi-Versatile platform computer and video inputs(DVI-I available) * 4 x 150 Watt UHP lamps * Efficient Lamp Management System with 4 lamps		* Power Zoom / Focus, Lens shift up/down and side to side	NOTENO
* 4 x 150 Watt UHP lamps * Efficient Lamp Management System with 4 lamps		* Multi-Versatile platform computer and video inputs(DVI-I available)	NO LENS
* Efficient Lamp Management System with 4 Jamps		* 4 x 150 Watt UHP lamps	
		* Efficient Lamp Management System with 4 lamps	
* 10 kinds of Optional lenses available: (Short, Semi-Long, Long, Standard lens)		* 10 kinds of Optional lenses available: (Short, Semi-Long, Long, Standard lens)	



PROJECTOR AND ACCESSORIES
DEALER PRICE SCHEDULE -- CONFIDENTIAL Effective June 3, 2005

MODEL	DESCRIPTION	List Price
	Portable Projectors	
PLC-XP56	* 5000 ANSI Lumens * True XGA (1024 x 768), Compressed SXGA (1280 x 1024) * 20.3 pounds, 12.6" x 6.6" x 16.9" (W x H x D) * 90% Uniformity with 1200:1 contrast ratio * Color Management System * Power Zoom / Focus and Power Lens Shift Up/Down, with standard lens (1.8 to 2 One Touch Lens Mount System * Dual Computer Inputs (DVI-D with HDCP, 15 Pin D-Sub or 5 Pin BNC) * 49x digital zoom and digital keystone correction(Horizontal & Vertical) * Optional PJ-Net Organizer Plus (LAN networking) available	\$9,995.00 2.4:1 throw ratio)
PLC-XP56L	* Same specifications as PLC-XP56. No lens. 17.5 pounds * 4 kinds of Optional lenses available: (Short and Long lens)	\$9,495.00 NO LENS
PLC-XP51	* Same unit as the XP56, minus the Micro Lens, with lens (1.8 to 2.4:1) and with a lower lumens rating — 4000 ANSI Lumens vs. 5000, contrast 1000:1, and weight of 19.2 pounds	\$7,495.00
PLC-XP51L	* Same specifications as PLC-XP51. No lens. 17.5 pounds * 4 kinds of Optional lenses available: (Short and Long lens)	\$6,995.00 NO LENS
PLC-XP55	* 4500 ANSI Lumens * True XGA (1024 x 768), Compressed SXGA (1280 x 1024) * 20.3 pounds, 12.6" x 6.6" x 16.9" (W x H x D) * 90% Uniformity with 1100:1 contrast ratio * Color Management System * Power Zoom / Focus and Power Lens Shift Up/Down, with standard lens (1.8 to 2 * One Touch Lens Mount System * Dual Computer Inputs (DVI-D with HDCP, 15 Pin D-Sub or 5 Pin BNC) * 49x digital zoom and digital keystone correction(Horizontal & Vertical) * Optional PJ-Net Organizer Plus (LAN networking) available	\$8,495.00 2.4:1 throw ratio)
PLC-XP55L	* Same specifications as PLC-XP55. No lens. 17.5 pounds * 4 kinds of Optional lenses available: (Short and Long lens)	\$7,995.00 NO LENS
PLC-XP50	* Same unit as the XP55, minus the Micro Lens, with different lens(1.8 to 2.4:1) and with a lower lumens rating 3700 ANSI Lumens vs. 4500, contrast of 1000:1, and weight of 19.2 pounds	\$5,995.00 CLOSEOU
PLC-XP50L	* Same specifications as PLC-XP50. No lens. 17.5 pounds * 4 kinds of Optional lenses available: (Short and Long lens)	\$5,495.00 CLOSEOUT NO LENS
PLC-XP46	* 4100 ANSI Lumens * True XGA (1024 x 768), Compressed SXGA (1280 x 1024) * 18.5 pounds, 12.6" x 6.6" x 16.9" (W x H x D) * 90% Uniformity with 800:1 contrast ratio * Power Zoom / Focus and Power Lens Shift Up/Down, with standard lens (1.8 to 2 * Dual Computer Inputs (DVI-D, 15 Pin D-Sub or 5 Pin BNC) * 49x digital zoom and digital keystone correction(Horizontal & Vertical) * Optional PJ-Net Organizer (POA-PN01A) (LAN networking) available	\$7,195.00 .4:1 throw ratio)
PLC-XP46L	* Same specifications as PLC-XP46. No lens. 15.7 pounds * 4 kinds of Optional lenses available: (Short and Long lens)	\$6,695.00 NO LENS
PLC-XT16	* 3500 ANSI Lumens * True XGA (1024 x 768), Compressed SXGA (1280 x 1024) * 17.2 pounds, 11.8" x 6.3" x 16.6" (W x H x D) * 90% Uniformity and 800:1 contrast ratio * Power Zoom / Focus and Power Lens Shift Up/Down, with standard lens (throw rational to the computer Inputs (DVI-I, 15 Pin dSub), Component Video Input (Y, Pb/Cb, Pin Monitor Out (15 Pin dSub) * Optional PJ-Net Organizer (POA-PN10) (LAN networking) available * Optional Presentation Viewer (POA-MD07MCI) allows PC-less presentations * Optional Wireless Imager (POA-WL11) allows for wireless Lan connection and wireless Imager (POA-WL11) allows for wireless Lan connection and wireless Imager (POA-WL11) allows for wireless Lan connection and wireless Imager (POA-WL11) allows for wireless Lan connection and wireless Imager (POA-WL11) allows for wireless Lan connection and wireless Imager (POA-WL11) allows for wireless Lan connection and wireless Imager (POA-WL11) allows for wireless Lan connection and wireless Imager (POA-WL11) allows for wireless Lan connection and wireless Lan connectio	r/Cr)



PROJECTOR AND ACCESSORIES

MODEL	DESCRIPTION	List Price
PLC-XT11	* Same unit as the XT16, minus the Micro Lens and with a lower lumens and contrast rating 2700 ANSI Lumens vs. 3500, 700:1 vs 80	\$4,495.00 00:1



PROJECTOR AND ACCESSORIES

MODEL	DESCRIPTION	List Price
	Ultramobile Projectors	
PLC-XU60	* 3000 ANSI Lumens, 450:1 contrast ratio * True XGA (1024 x 768), Compressed SXGA (1280 x 1024) * 12.8 pounds, 15.4" x 4.4" x 10.8" (W x H x D) * Power Zoom / Focus with mid range standard lens (1.6 to 2.1:1 throw ratio) * Switchable d-Sub 15 input/output connector * Optional Multi-Card Imager (POA-PN20 with wired LAN Module or POA-WLC2 networking or PC Card Imaging * DVI-I with HDCP input, Component Video Input and HDTV Ready	\$4,995.00 0 Wireless LAN Module)
PLC-XU58	* 3000 ANSI Lumens, 450:1 contrast ratio * True XGA (1024 x 768), Compressed SXGA (1280 x 1024) * 6.2 pounds, 11.7" x 2.8" x 8.6" (W x H x D) * Manual Zoom / Focus with mid range standard lens (1.25 to 1.9:1 throw ratio) * Soft Carry Case Included * Switchable d-Sub 15 input/output connector * DVI-I with HDCP input, Optional Component Video Input and HDTV Ready * Optional Multi-Card Imager (POA-PN20 with wired LAN Module or POA-WLC2 networking or PC Card Imaging * Security PIN code lock feature	\$3,995.00 New O Wireless LAN Module)
PLC-XU56	* 2500 ANSI Lumens, 450:1 contrast ratio * True XGA (1024 x 768), Compressed SXGA (1280 x 1024) * 6.2 pounds, 11.7" x 2.8" x 8.6" (W x H x D) * Manual Zoom / Focus with mid range standard lens (1.25 to 1.9:1 throw ratio) * Soft Carry Case Included * Switchable d-Sub 15 input/output connector * DVI-I with HDCP input, Optional Component Video Input and HDTV Ready * Optional Multi-Card Imager (POA-PN20 with wired LAN Module or POA-WLC20 networking or PC Card Imaging * Security PIN code lock feature	\$3,495.00 D Wireless LAN Module)
PLC-XU51	* 2000 ANSI Lumens, 450:1 contrast ratio * True XGA (1024 x 768), Compressed SXGA (1280 x 1024) * 6.2 pounds, 11.7" x 2.8" x 8.6" (W x H x D) * Manual Zoom / Focus with mid range standard lens (1.25 to 1.9:1 throw ratio) * Soft Carry Case Included * Switchable d-Sub 15 input/output connector * DVI-I with HDCP input, Optional Component Video Input and HDTV Ready * Optional Multi-Card Imager (POA-PN20 with wired LAN Module or POA-WLC20 networking or PC Card Imaging * Security PIN code lock feature	\$2,495.00 D Wireless LAN Module)
PLC-XU47	* 2000 ANSI Lumens, 450:1 contrast ratio * True XGA (1024 x 768), Compressed SXGA (1280 x 1024) * 6.0 pounds, 11.7" x 2.8" x 8.4" (W x H x D) * Manual Zoom / Focus with mid range standard lens (1.6 to 2.0:1 throw ratio) * Dual d-Sub 15 inputs, one being switchable input/output connector * Variable Audio Out * Security PIN code lock feature * Blackboard Mode - adjusts gamma and white balance for use without screen	\$2,295.00
PLC-XU41	* Same unit as the XU47, with a lower Lumens rating, 1500 vs 2000	\$1,895.00
PLC-SU51	* 2000 ANSI Lumens, 450:1 contrast ratio * True SVGA (800 x 600), Compressed SXGA (1280 x 1024) * 6.2 pounds, 11.7" x 2.8" x 8.6" (W x H x D) * Manual Zoom / Focus with mid range standard lens (1.25 to 1.9:1 throw ratio) * Switchable d-Sub 15 input/output connector * DVI-I with HDCP input, Optional Component Video Input and HDTV Ready * Optional Multi-Card Imager (POA-PN20 with wired LAN Module or POA-WLC20 networking or PC Card Imaging * Security PIN code lock feature	\$1,895.00 Wireless LAN Module)



PROJECTOR AND ACCESSORIES

MODEL	DESCRIPTION	List Price	
PLC-SW35	* 1500 ANSI Lumens * True SVGA (800 x 600), Compressed SXGA (1280 x 1024) * 4.6 pounds, 10.6" x 3.1" x 7.5" (W x H x D) * Manual Zoom / Focus with standard lens (1.6 to 1.9:1 throw ratio) * Soft Carry Case included	\$1,195.00	



PROJECTOR AND ACCESSORIES

MODEL	DESCRIPTION	List Price	
	Video Projectors		
PLV-WF10	* 4000 ANSI lumens, 8000 ANSI lumens twin-stacked, no lens * Uses same optional lens as the XF35/EF31 * WXGA 16:9 (1366 x 768) * 46.3 pounds, 17.3" x 9.1" x 23.8" (W x H x D) * Over 90% Uniformity with Contrast Ratio of 900:1 * Power Zoom / Focus, Lens shift up/down with standard lens with throw ratio TBA* * Multi-Versatile platform computer and video inputs(DVI-I available) * PJ Net Organizer platform capable * Real Color Management Software included * 2 x 250 Watt UHP lamps	\$12,995.00	NO LENS
	* Efficient Lamp Management System with 2 lamps		
PLV-70	* 16:9 native aspect ration wide XGA (1366 x 768)LCD Projector * 2200 ANSI lumens * 15 Pin D-Sub, DVI-D, and 5 Pin BNC data inputs * Component, composite, or S video input * New color management system * Network compatibility with optional PJ Net Organizer * Power zoom/focus and lens shift (up/down) with standard lens (1.75 to 2.3:1 thro * 900:1 contrast ratio	\$6,995.00 ow ratio)	
PLV-Z3	* 16:9 native aspect ratio, HD (1280 x 720) LCD Projector * 800 ANSI lumens and 2000:1 Contrast Ratio * 10 Bit Video processing * Auto Iris Lens * HDMI and 2 Component Video Inputs * 15 Pin D-Sub, data input * Composite, and S video inputs * Manual zoom/focus and lens shift (up/down and side/side) with standard lens * Extremely Quiet - 23 dBA noise rating	\$2,495.00	
	Rear Screen Projection		
PLC-XR70N	* True XGA (1024 x 768), Compressed SXGA * 70" Diagonal Image, rear projection * 240 (cd/m2) * PLC-8810N light engine	\$14,995.00	CLOSEOU
PLV-55WM1	* 16:9 native aspect ratio, HD (1280 x 720) * 55" Diagonal Image, rear projection * 1000:1 Contrast Ratio * 500 nit Brightness * 5 Input sections (DVI-D, 15 pin dSub, 5 BNC, Video (S and Y-Pb/Cb-Pr/Cr), Vide * Optional PJ Network Interface	\$3,995.00 New 2 eo (Y-Pb/Cb-Pr/Cr)	
POA-TD-55W	Mr * Floor Stand for PLV-55WM1	\$795.00	
POA-TDVCST	A * Video Conference Cable Mount Kit for PLV-55WM1	\$195.00	
POA-PN30	* PJ Net Unit for PLV-55WM1	\$695.00	
		Ψ000.00	

ISSUE DATE: April 1, 2005

All Projectors come with a 3-Year Standard Prime Warranty and 1 year Pro-Rated Lamp Warranty

3M Digital Projector Summary Table

NEW			Stock Number	Suggested	
Model	Lumens	W eigh t	Resolution	78-9236-	List
S10	1200	6.6 lbs.	SVGA	6814-5	\$ 1,610
S15	1500	4.9 lbs.	SVGA	6833-5	\$ 1,383
\$20	1600	6.9 lbs.	SVGA	·····	\$ 1,699
H10	700	6.8 lbs.	WVGA (16:9)	6833-5	\$ 1,999
X45	1500	5.8 lbs	XGA		\$ 2,056
S55	2000	5.8 lbs	SVGA		\$ 2,183
X55	2000	5.8lbs	XGA	6838-4	\$ 2,798
X65	2500	9.9 lbs.	XGA	6821-0	\$ 3,870
X70	3500	17 lbs.	XGA	6822-8	\$ 6,983
X70L		Long Throw Lens	with X70	6823-6	\$ 8,444
X70S		Short Throw lens			\$ 8,999
X75	3200	8.8 lbs	XGA		\$ 5,600
X80	4500	17 lbs	XGA	6824-4	\$ 7,999
X80S		Short Throw lens	with X80	6840-0	\$ 10,549
X80L		Long Throw Lens		~~~~	\$ 9,995

VEW DIGITAL PROJECTORS				GESTED LIST
		UPC#: 0-51125-		
S10	SVGA, 1200 lumens 6.6 lbs	60708-7	\$	1,61
S10 Demo	1 demo unit per dealer *	60768-1		
LKS10	Lamp Replacement Kit for S10	60720-9	\$	31:
CM10	Ceiling Mount	60721-6	\$	23
HE100	Ceiling Mount Extender Kit	60725-4	\$	17
CC10/40/50	Soft Carry Bag for Computer	60750-6	\$	8
SSC10/40/50	Soft rolling Bag for Computer	60751-3	\$	20
HSC10/40/50	ATA hard Rollng Bag	60752-0	\$	53
EP7640MK	Mouse emulation Kit	59897-2	\$	28:
WS10	3-year warranty program (repair time 3-5 days in shop, repair parts and labor, shipping paid both ways, 1 free lamp during term of warranty, free loaner)	60730-8	\$	55
S15	SVGA, 1500 lumens 4.9 lbs	60933-3	\$	1.38
S15 Demo	1 demo unit per dealer*	60898-5	4	1,00
LK S15	Lamp Replacement Kit for S15	60900-5	\$	48
CM S15	Ceiling Mount	60901-2	\$	23
HE 100	Ceiling Mount Extender Kit	60725-4	\$	17
CC10/40/50	Soft Carry Bag for Computer	60750-6	\$	8:
SSC10/40/50	Soft rolling Bag for Computer	60751-3	\$	20
HSC10/40/50	ATA hard Rolling Bag	60752-0	\$	53
WS15	3-year warranty program (repair time 3-5 days in shop, repair parts and labor, shipping paid both ways, 1 free lamp during term of warranty, free loaner)	60902-9	S	54
S20	SVGA, 1600 lumens, 6.9 lbs.	60792-6	\$	1,59
S20 Demo	1 demo unit per dealer *	60822-0		
LKS20	Replacement Lamp Kit for S20	60813-8	\$	37
CM 10	Ceiling Mount	60721-6	\$	239
HE100	Ceiling Mount Extender Kit	60725-4	\$	17
CC10/40/50	Soft Carry Bag for Computer	60750-6	\$	8
SSC10/40/50	Soft rolling Bag for Computer	60751-3	\$	209
HSC10/40/50	ATA hard Rollng Bag	60752-0	\$	539
EP7640MK	Mouse emulation Kit	59897-2	\$	282
WS20	3-year warranty program (repair time 3-5 days in shop, repair parts and labor, shipping paid both ways, 1 free lamp during term of warranty, free loaner)	60820-6	\$	580
H10	WVGA (16:9), 700 lumens, 6.8 lbs.	60807-7	S	1,999
H10 Demo	1 demo unit per dealer *	60823-7	-	1,333
LKS10	Replacement Lamp Kit for H10	60720-9	\$	31:
CM 10	Ceiling Mount	60721-6	\$	239
HE100	Ceiling Mount Extender Kit	60725-4	\$	177
CC10/40/50	Soft Carry Bag for Computer	60750-6	\$	85
SSC10/40/50	Soft rolling Bag for Computer	60751-3	\$	209
HSC10/40/50	ATA hard Rollng Bag	60752-0	\$	539
EP7640MK	Mouse emulation Kit	59897-2	\$	282
WH10	3-year warranty program (repair time 3-5 days in shop, repair parts and labor, shipping paid both ways, 1 free lamp during term of warranty, free loaner)	60821-3	\$	575
X45	XGA, 1500 lumens, 5.8 lbs	60863-3	\$	2.056

LK X55	Lamp Replacement Kit for X55	60874-9	\$	398
CM45/55	Ceiling Mount	60875-6	\$	239
HE100	Ceiling Mount Extender Kit	60725-4	\$	177
CC10/40/50	Soft Carry Bag for Computer	60750-6	\$	85
SSC10/40/50	Soft rolling Bag for Computer	60751-3	\$	209
HSC10/40/50	ATA hard Rollng Bag	60752-0	\$	539
WX45	3-year warranty program (repair time 3-5 days in shop, repair parts and	60872-5	\$	793
	labor, shipping paid both ways, 1 free lamp during term of warranty, free		*	755
	loaner)			
			A CONTRACTOR OF THE PARTY OF TH	
S55	SVGA, 2000 lumens, 5.8 lbs	60862-6	\$	2,183
S55 Demo	1 demo unit per dealer *	60865-7		
LK X55	Lamp Replacement Kit for S55	60874-9	\$	398
CM45/55	Ceiling Mount	60875-6	\$	239
HE100	Ceiling Mount Extender Kit	60725-4	\$	177
CC10/40/50	Soft Carry Bag for Computer	60750-6	\$	85
SSC10/40/50	Soft rolling Bag for Computer	60751-3	\$	209
HSC10/40/50	ATA hard Rollng Bag	60752-0	\$	539
WS55	3-year warranty program (repair time 3-5 days in shop, repair parts and	60871-8	\$	
	labor, shipping paid both ways, 1 free lamp during term of warranty, free loaner)	00071-8	,	802
X55	XGA, 2000 lumens,5.8 lbs	60864 -0	\$	2,798
X55 Demo	1 demo unit per dealer *	60867-1		
LK X55	Lamp Replacement Kit for X55	60874-9	\$	398
CM45/55	Ceiling Mount	60875-6	\$	239
HE100	Ceiling Mount Extender Kit	60725-4	\$	177
CC10/40/50	Soft Carry Bag for Computer	60750-6	\$	
SSC10/40/50	Soft rolling Bag for Computer	60751-3	\$	85
HSC10/40/50	ATA hard Rolling Bag			209
WX55	3-year warranty program (repair time 3-5 days in shop, repair parts and	60752-0	\$	539
	labor, shipping paid both ways, 1 free lamp during term of warranty, free	60873-2	\$	863
	loaner)			
X65	IVOA 0500 I			
	XGA, 2500 lumens, 9.2 lbs	60715-5	\$	3,870
X65 Demo	1 demo unit per dealer *	60773-5		
EP8765LK	Lamp Replacement Kit for X65	60406-2	\$	428
CM65	Ceiling Mount	60723-0	S	239
HE100	Ceiling Mount Extender Kit		\$	
		1 60/25-4		
EP1555	Soft Rolling Luggage Case	60725-4 59522-3		177
EP1545	ATA Rolling Hard Shipping Case	59522-3 59521-3	\$	177 179 439
		59522-3 59521-3	\$	179 439
EP1545 WX65	ATA Rolling Hard Shipping Case 3-year warranty program (repair time 3-5 days in shop, repair parts and labor, shipping paid both ways, 1 free lamp during term of warranty, free loaner)	59522-3	\$	179
EP1545 WX65	ATA Rolling Hard Shipping Case 3-year warranty program (repair time 3-5 days in shop, repair parts and labor, shipping paid both ways, 1 free lamp during term of warranty, free loaner)	59522-3 59521-3 60737-7	\$	179 439 1,034
EP1545 WX65 X70 X70D	ATA Rolling Hard Shipping Case 3-year warranty program (repair time 3-5 days in shop, repair parts and labor, shipping paid both ways, 1 free lamp during term of warranty, free loaner) XGA, 0.99" LCD, 3500 lumens, 17 lbs. Networkable, HDTV Ready 2 Demo units available per dealer	59522-3 59521-3 60737-7	\$	179 439
EP1545 WX65	ATA Rolling Hard Shipping Case 3-year warranty program (repair time 3-5 days in shop, repair parts and labor, shipping paid both ways, 1 free lamp during term of warranty, free loaner) XGA, 0.99" LCD, 3500 lumens, 17 lbs. Networkable, HDTV Ready 2 Demo units available per dealer	59522-3 59521-3 60737-7 60716- 2 60774-2	\$ \$	179 439 1,034 6,983
EP1545 WX65 X70 X70D	ATA Rolling Hard Shipping Case 3-year warranty program (repair time 3-5 days in shop, repair parts and labor, shipping paid both ways, 1 free lamp during term of warranty, free loaner) XGA, 0.99" LCD, 3500 lumens, 17 lbs. Networkable, HDTV Ready	59522-3 59521-3 60737-7 60716-2 60774-2 60717-9	\$ \$	179 439 1,034 6,983
EP1545 WX65 X70 X70D X70L	ATA Rolling Hard Shipping Case 3-year warranty program (repair time 3-5 days in shop, repair parts and labor, shipping paid both ways, 1 free lamp during term of warranty, free loaner) XGA, 0.99" LCD, 3500 lumens, 17 lbs. Networkable, HDTV Ready 2 Demo units available per dealer X70 with Long Throw Lens X70 with Short Throw Lens	59522-3 59521-3 60737-7 60716- 2 60717-9 78-9236-6834-3	\$ \$	1,034 6,983 8,444 8,999
EP1545 WX65 X70 X70D X70L X70S	ATA Rolling Hard Shipping Case 3-year warranty program (repair time 3-5 days in shop, repair parts and labor, shipping paid both ways, 1 free lamp during term of warranty, free loaner) XGA, 0.99" LCD, 3500 lumens, 17 lbs. Networkable, HDTV Ready 2 Demo units available per dealer X70 with Long Throw Lens X70 with Short Throw Lens Replacement Lamp Kit - X70	59522-3 59521-3 60737-7 60716- 2 60774-2 60771-9 78-9236-6834-3 60753 7	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	1,034 6,983 8,444 8,999 469
EP1545 WX65 X70 X70D X70L X70S LKX70 CM70/80	ATA Rolling Hard Shipping Case 3-year warranty program (repair time 3-5 days in shop, repair parts and labor, shipping paid both ways, 1 free lamp during term of warranty, free loaner) XGA, 0.99" LCD, 3500 lumens, 17 lbs. Networkable, HDTV Ready 2 Demo units available per dealer X70 with Long Throw Lens X70 with Short Throw Lens Replacement Lamp Kit - X70 Ceiling Mount - X70	59522-3 59521-3 60737-7 60716-2 60774-2 60717 9 78-9236-6834-3 60753 7 60724 7	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	1,034 6,983 8,444 8,999 469 239
EP1545 WX65 X70 X70D X70L X70L X70S CM70/80 EP1545	ATA Rolling Hard Shipping Case 3-year warranty program (repair time 3-5 days in shop, repair parts and labor, shipping paid both ways, 1 free lamp during term of warranty, free loaner) XGA, 0.99" LCD, 3500 lumens, 17 lbs. Networkable, HDTV Ready 2 Demo units available per dealer X70 with Long Throw Lens X70 with Short Throw Lens Replacement Lamp Kit - X70 Ceiling Mount - X70 Hard Side ATA Shipping Case (wheeled)	59522-3 59521-3 60737-7 60716- 2 60714-2 60717-9 78-9236-6834-3 60753 7 60724 7 59521-6	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	1,034 6,983 8,444 8,999 469
EP1545 WX65 X70 X70D X70L X70S LKX70S CM70/80 EP1545 EP1555	ATA Rolling Hard Shipping Case 3-year warranty program (repair time 3-5 days in shop, repair parts and labor, shipping paid both ways, 1 free lamp during term of warranty, free loaner) XGA, 0.99" LCD, 3500 lumens, 17 lbs. Networkable, HDTV Ready 2 Demo units available per dealer X70 with Long Throw Lens X70 with Short Throw Lens Replacement Lamp Kit - X70 Ceiling Mount - X70 Hard Side ATA Shipping Case (wheeled) Soft Side Case (wheeled)	59522-3 59521-3 60737-7 60716- 2 60717-9 78-9236-6834-3 60753 7 60724 7 59521-6 59522-3	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	1,034 6,983 8,444 8,999 469 239 439 179
EP1545 WX65 X70 X70D X70L X70L X70S CM70/80 EP1545	ATA Rolling Hard Shipping Case 3-year warranty program (repair time 3-5 days in shop, repair parts and labor, shipping paid both ways, 1 free lamp during term of warranty, free loaner) XGA, 0.99" LCD, 3500 lumens, 17 lbs. Networkable, HDTV Ready 2 Demo units available per dealer X70 with Long Throw Lens X70 with Short Throw Lens Replacement Lamp Kit - X70 Ceiling Mount - X70 Hard Side ATA Shipping Case (wheeled) Soft Side Case (wheeled) Ceiling Mount Extender	59522-3 59521-3 60737-7 60716- 2 60714-2 60717-9 78-9236-6834-3 60753 7 60724 7 59521-6	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	1,034 1,034 6,983 8,444 8,999 469 239 439
EP1545 WX65 X70 X70D X70L X70S LKX70S CM70/80 EP1545 EP1555	ATA Rolling Hard Shipping Case 3-year warranty program (repair time 3-5 days in shop, repair parts and labor, shipping paid both ways, 1 free lamp during term of warranty, free loaner) XGA, 0.99" LCD, 3500 lumens, 17 lbs. Networkable, HDTV Ready 2 Demo units available per dealer X70 with Long Throw Lens X70 with Short Throw Lens Replacement Lamp Kit - X70 Ceiling Mount - X70 Hard Side ATA Shipping Case (wheeled) Soft Side Case (wheeled) Ceiling Mount Extender 3-year warranty program (repair time 3-5 days in shop, repair parts and	59522-3 59521-3 60737-7 60716- 2 60717-9 78-9236-6834-3 60753 7 60724 7 59521-6 59522-3	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	1,034 6,983 8,444 8,999 469 239 439
EP1545 WX65 X70 X70D X70L X70S LKX70 CM70/80 EP1545 EP1555 HE100	ATA Rolling Hard Shipping Case 3-year warranty program (repair time 3-5 days in shop, repair parts and labor, shipping paid both ways, 1 free lamp during term of warranty, free loaner) XGA, 0.99" LCD, 3500 lumens, 17 lbs. Networkable, HDTV Ready 2 Demo units available per dealer X70 with Long Throw Lens X70 with Short Throw Lens Replacement Lamp Kit - X70 Ceiling Mount - X70 Hard Side ATA Shipping Case (wheeled) Soft Side Case (wheeled) Ceiling Mount Extender 3-year warranty program (repair time 3-5 days in shop, repair parts and labor, shipping paid both ways, 1 free lamp during term of warranty, free	59522-3 59521-3 60737-7 60716- 2 60717-9 78-9236-6834-3 60753 7 60724 7 59521-6 59522-3	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	1,034 6,983 8,444 8,999 469 239 439
EP1545 WX65 X70 X70D X70L X70S LKX70S CM70/80 EP1545 EP1555	ATA Rolling Hard Shipping Case 3-year warranty program (repair time 3-5 days in shop, repair parts and labor, shipping paid both ways, 1 free lamp during term of warranty, free loaner) XGA, 0.99" LCD, 3500 lumens, 17 lbs. Networkable, HDTV Ready 2 Demo units available per dealer X70 with Long Throw Lens X70 with Short Throw Lens Replacement Lamp Kit - X70 Ceiling Mount - X70 Hard Side ATA Shipping Case (wheeled) Soft Side Case (wheeled) Ceiling Mount Extender 3-year warranty program (repair time 3-5 days in shop, repair parts and	59522-3 59521-3 60737-7 60716- 2 60717-9 78-9236-6834-3 60753 7 60724 7 59521-6 59522-3	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	1,034 6,983 8,444 8,999 469 239 439
EP1545 WX65 X70 X70D X70D X70L X70S LKX70 CM70/80 EP1545 EP1555 HE100	ATA Rolling Hard Shipping Case 3-year warranty program (repair time 3-5 days in shop, repair parts and labor, shipping paid both ways, 1 free lamp during term of warranty, free loaner) XGA, 0.99" LCD, 3500 lumens, 17 lbs. Networkable, HDTV Ready 2 Demo units available per dealer X70 with Long Throw Lens X70 with Short Throw Lens Replacement Lamp Kit - X70 Ceiling Mount - X70 Hard Side ATA Shipping Case (wheeled) Soft Side Case (wheeled) Ceiling Mount Extender 3-year warranty program (repair time 3-5 days in shop, repair parts and labor, shipping paid both ways, 1 free lamp during term of warranty, free loaner while customer unit is being repaired).	59522-3 59521-3 60737-7 60716-2 60774-2 60717-9 78-9236-6834-3 60753.7 60724.7 59521-6 59522-3 60725.4	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	1,034 6,983 8,444 8,999 469 239 439 179
EP1545 WX65 X70 X70D X70D X70L X70S LKX70 CM70/80 EP1545 EP1555 HE100 WX70	ATA Rolling Hard Shipping Case 3-year warranty program (repair time 3-5 days in shop, repair parts and labor, shipping paid both ways, 1 free lamp during term of warranty, free loaner) XGA, 0.99" LCD, 3500 lumens, 17 lbs. Networkable, HDTV Ready 2 Demo units available per dealer X70 with Long Throw Lens X70 with Short Throw Lens Replacement Lamp Kit - X70 Ceiling Mount - X70 Hard Side ATA Shipping Case (wheeled) Soft Side Case (wheeled) Ceiling Mount Extender 3-year warranty program (repair time 3-5 days in shop, repair parts and labor, shipping paid both ways, 1 free lamp during term of warranty, free loaner while customer unit is being repaired). XGA , 3200 Lumens, 8.8 lbs. Networkable, HDTV Ready	59522-3 59521-3 60737-7 60716-2 60774-2 60717-9 78-9236-6834-3 60753.7 60724.7 59521-6 59522-3 60725.4	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	1,034 6,983 8,444 8,999 469 239 439 177 177
EP1545 WX65 X70 X70D X70D X70L X70S LKX70 CM70/80 EP1545 EP1555 HE100 WX70	ATA Rolling Hard Shipping Case 3-year warranty program (repair time 3-5 days in shop, repair parts and labor, shipping paid both ways, 1 free lamp during term of warranty, free loaner) XGA, 0.99" LCD, 3500 lumens, 17 lbs. Networkable, HDTV Ready 2 Demo units available per dealer X70 with Long Throw Lens X70 with Short Throw Lens Replacement Lamp Kit - X70 Ceiling Mount - X70 Hard Side ATA Shipping Case (wheeled) Soft Side Case (wheeled) Ceiling Mount Extender 3-year warranty program (repair time 3-5 days in shop, repair parts and labor, shipping paid both ways, 1 free lamp during term of warranty, free loaner while customer unit is being repaired). XGA , 3200 Lumens, 8.8 lbs. Networkable, HDTV Ready 2 Demo units available per dealer	59522-3 59521-3 60737-7 60716- 2 60774-2 60771-9 78-9236-6834-3 60753 7 60724 7 59521-6 59522-3 60725 4	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	1,034 6,983 8,444 8,999 469 239 439 179
EP1545 WX65 X70 X70D X70D X70S LKX70 CM70/80 EP1545 EP1545 EP1555 HE100 WX70	ATA Rolling Hard Shipping Case 3-year warranty program (repair time 3-5 days in shop, repair parts and labor, shipping paid both ways, 1 free lamp during term of warranty, free loaner) XGA, 0.99" LCD, 3500 lumens, 17 lbs. Networkable, HDTV Ready 2 Demo units available per dealer X70 with Long Throw Lens X70 with Short Throw Lens Replacement Lamp Kit - X70 Ceiling Mount - X70 Hard Side ATA Shipping Case (wheeled) Soft Side Case (wheeled) Ceiling Mount Extender 3-year warranty program (repair time 3-5 days in shop, repair parts and labor, shipping paid both ways, 1 free lamp during term of warranty, free loaner while customer unit is being repaired). XGA , 3200 Lumens, 8.8 lbs. Networkable, HDTV Ready 2 Demo units available per dealer Replacement Lamp Kit - X75	59522-3 59521-3 60737-7 60716- 2 60717-9 78-9236-6834-3 60753 7 60724 7 59521-6 59522-3 60725 4 60738 4	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	179 439 1,034 6,983 8,444 8,999 469 239 439 179 177
EP1545 WX65 X70 X70D X70D X70S LKX70 CM70/80 EP1545 EP1555 HE100 WX70 WX70 LKX75 CM75	ATA Rolling Hard Shipping Case 3-year warranty program (repair time 3-5 days in shop, repair parts and labor, shipping paid both ways, 1 free lamp during term of warranty, free loaner) XGA, 0.99" LCD, 3500 lumens, 17 lbs. Networkable, HDTV Ready 2 Demo units available per dealer X70 with Long Throw Lens X70 with Short Throw Lens Replacement Lamp Kit - X70 Ceiling Mount - X70 Hard Side ATA Shipping Case (wheeled) Soft Side Case (wheeled) Ceiling Mount Extender 3-year warranty program (repair time 3-5 days in shop, repair parts and labor, shipping paid both ways, 1 free lamp during term of warranty, free loaner while customer unit is being repaired). XGA , 3200 Lumens, 8.8 lbs. Networkable, HDTV Ready 2 Demo units available per dealer	59522-3 59521-3 60737-7 60716-2 60774-2 60717-9 78-9236-6834-3 60753.7 60724.7 59521-6 59522-3 60725.4 60738.4	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	179 439 1,034 6,983 8,444 8,999 469 239 439 179 177
EP1545 WX65 X70 X70D X70L X70S LKX70 CM70/80 EP1545 EP1555 HE100 WX70 X75 X70D LKX75 CM 75 EP1545	ATA Rolling Hard Shipping Case 3-year warranty program (repair time 3-5 days in shop, repair parts and labor, shipping paid both ways, 1 free lamp during term of warranty, free loaner) XGA, 0.99" LCD, 3500 lumens, 17 lbs. Networkable, HDTV Ready 2 Demo units available per dealer X70 with Long Throw Lens X70 with Short Throw Lens Replacement Lamp Kit - X70 Ceiling Mount - X70 Hard Side ATA Shipping Case (wheeled) Soft Side Case (wheeled) Ceiling Mount Extender 3-year warranty program (repair time 3-5 days in shop, repair parts and labor, shipping paid both ways, 1 free lamp during term of warranty, free loaner while customer unit is being repaired). XGA , 3200 Lumens, 8.8 lbs. Networkable, HDTV Ready 2 Demo units available per dealer Replacement Lamp Kit - X75	59522-3 59521-3 60737-7 60716-2 60774-2 60717-9 78-9236-6834-3 60753 7 60724 7 59521-6 59522-3 60725 4 60738 4 60883-1 60881-7 60885-5 60890-9	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	179 439 1,034 6,983 8,444 8,999 469 239 439 179 177 1,258
EP1545 WX65 X70 X70D X70L X70S LKX70 CM70/80 EP1545 EP1555 HE100 WX70 CX75 CX70D LKX75 CM 75 EP1545 EP1555 EP1545 EP1555	ATA Rolling Hard Shipping Case 3-year warranty program (repair time 3-5 days in shop, repair parts and labor, shipping paid both ways, 1 free lamp during term of warranty, free loaner) XGA, 0.99" LCD, 3500 lumens, 17 lbs. Networkable, HDTV Ready 2 Demo units available per dealer X70 with Long Throw Lens X70 with Short Throw Lens Replacement Lamp Kit - X70 Ceiling Mount - X70 Hard Side ATA Shipping Case (wheeled) Soft Side Case (wheeled) Ceiling Mount Extender 3-year warranty program (repair time 3-5 days in shop, repair parts and labor, shipping paid both ways, 1 free lamp during term of warranty, free loaner while customer unit is being repaired). XGA, 3200 Lumens, 8.8 lbs. Networkable, HDTV Ready 2 Demo units available per dealer Replacement Lamp Kit - X75 Ceiling Mount - X75	59522-3 59521-3 60737-7 60716- 2 60774-2 60774-2 60717 9 78-9236-6834-3 60753 7 60724 7 59521-6 59522-3 60725 4 60738 4 60883-1 60881-7 60885-5 60890-9 59521-6	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	1,034 1,034 6,983 8,444 8,999 469 239 439 177 1,258 5,600 403 239 439
EP1545 WX65 X70 X70D X70L X70S LKX70 CM70/80 EP1545 EP1555 HE100 WX70 X75 X70D LKX75 CM 75 EP1545	ATA Rolling Hard Shipping Case 3-year warranty program (repair time 3-5 days in shop, repair parts and labor, shipping paid both ways, 1 free lamp during term of warranty, free loaner) XGA, 0.99" LCD, 3500 lumens, 17 lbs. Networkable, HDTV Ready 2 Demo units available per dealer X70 with Long Throw Lens X70 with Short Throw Lens Replacement Lamp Kit - X70 Ceiling Mount - X70 Hard Side ATA Shipping Case (wheeled) Soft Side Case (wheeled) Ceiling Mount Extender 3-year warranty program (repair time 3-5 days in shop, repair parts and labor, shipping paid both ways, 1 free lamp during term of warranty, free loaner while customer unit is being repaired). XGA , 3200 Lumens, 8.8 lbs. Networkable, HDTV Ready 2 Demo units available per dealer Replacement Lamp Kit - X75 Ceiling Mount - X75 Hard Side ATA Shipping Case (wheeled) Soft Side Case (wheeled) Ceiling Mount Extender	59522-3 59521-3 60737-7 60716- 2 60717-9 78-9236-6834-3 60753 7 60724 7 59521-6 59522-3 60725 4 60738 4 60883-1 60881-7 60885-5 60890-9 59521-6 59522-3	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	179 439 1,034 6,983 8,444 8,999 469 239 439 179 177 1,258 5,600 403 239 439 179
EP1545 WX65 X70 X70D X70L X70S LKX70 CM70/80 EP1545 EP1555 HE100 WX70 CX75 CX70D LKX75 CM 75 EP1545 EP1555 EP1545 EP1555	ATA Rolling Hard Shipping Case 3-year warranty program (repair time 3-5 days in shop, repair parts and labor, shipping paid both ways, 1 free lamp during term of warranty, free loaner) XGA, 0.99" LCD, 3500 lumens, 17 lbs. Networkable, HDTV Ready 2 Demo units available per dealer X70 with Long Throw Lens X70 with Short Throw Lens Replacement Lamp Kit - X70 Ceiling Mount - X70 Hard Side ATA Shipping Case (wheeled) Soft Side Case (wheeled) Ceiling Mount Extender 3-year warranty program (repair time 3-5 days in shop, repair parts and labor, shipping paid both ways, 1 free lamp during term of warranty, free loaner while customer unit is being repaired). XGA, 3200 Lumens, 8.8 lbs. Networkable, HDTV Ready 2 Demo units available per dealer Replacement Lamp Kit - X75 Ceiling Mount - X75 Hard Side ATA Shipping Case (wheeled) Soft Side Case (wheeled) Ceiling Mount Extender	59522-3 59521-3 60737-7 60716- 2 60774-2 60774-2 60717 9 78-9236-6834-3 60753 7 60724 7 59521-6 59522-3 60725 4 60738 4 60883-1 60881-7 60885-5 60890-9 59521-6	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	1,034 1,034 6,983 8,444 8,999 469 239 439 177 1,258 5,600 403 239 439
EP1545 WX65 X70 X70D X70L X70S LKX70 CM70/80 EP1545 EP1555 HE100 WX70 CX75 CX70D LKX75 CM 75 EP1545 EP1555 EP1545 EP1555	ATA Rolling Hard Shipping Case 3-year warranty program (repair time 3-5 days in shop, repair parts and labor, shipping paid both ways, 1 free lamp during term of warranty, free loaner) XGA, 0.99" LCD, 3500 lumens, 17 lbs. Networkable, HDTV Ready 2 Demo units available per dealer X70 with Long Throw Lens X70 with Short Throw Lens Replacement Lamp Kit - X70 Ceiling Mount - X70 Hard Side ATA Shipping Case (wheeled) Soft Side Case (wheeled) Ceiling Mount Extender 3-year warranty program (repair time 3-5 days in shop, repair parts and labor, shipping paid both ways, 1 free lamp during term of warranty, free loaner while customer unit is being repaired). XGA, 3200 Lumens, 8.8 lbs. Networkable, HDTV Ready 2 Demo units available per dealer Replacement Lamp Kit - X75 Ceiling Mount - X75 Hard Side ATA Shipping Case (wheeled) Soft Side Case (wheeled) Ceiling Mount Extender	59522-3 59521-3 60737-7 60716- 2 60717-9 78-9236-6834-3 60753 7 60724 7 59521-6 59522-3 60725 4 60738 4 60883-1 60881-7 60885-5 60890-9 59521-6 59522-3	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	179 439 1,034 6,983 8,444 8,999 469 239 439 179 177 1,258 5,600 403 239 439 179
EP1545 WX65 X70 X70D X70L X70S LKX70 CM70/80 EP1545 EP1555 HE100 WX70 CX75 CX70D LKX75 CM 75 EP1545 EP1555 EP1545 EP1555	ATA Rolling Hard Shipping Case 3-year warranty program (repair time 3-5 days in shop, repair parts and labor, shipping paid both ways, 1 free lamp during term of warranty, free loaner) XGA, 0.99" LCD, 3500 lumens, 17 lbs. Networkable, HDTV Ready 2 Demo units available per dealer X70 with Long Throw Lens X70 with Short Throw Lens Replacement Lamp Kit - X70 Ceiling Mount - X70 Hard Side ATA Shipping Case (wheeled) Soft Side Case (wheeled) Ceiling Mount Extender 3-year warranty program (repair time 3-5 days in shop, repair parts and labor, shipping paid both ways, 1 free lamp during term of warranty, free loaner while customer unit is being repaired). XGA , 3200 Lumens, 8.8 lbs. Networkable, HDTV Ready 2 Demo units available per dealer Replacement Lamp Kit - X75 Ceiling Mount - X75 Hard Side ATA Shipping Case (wheeled) Soft Side Case (wheeled) Ceiling Mount Extender	59522-3 59521-3 60737-7 60716- 2 60717-9 78-9236-6834-3 60753 7 60724 7 59521-6 59522-3 60725 4 60738 4 60883-1 60881-7 60885-5 60890-9 59521-6 59522-3	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	1,034 1,034 6,983 8,444 8,999 469 239 439 177 1,258 5,600 403 239 439 179 177
EP1545 WX65 X70 X70D X70D X70S LKX70 CM70/80 EP1545 EP1555 HE100 WX70 X75 X70D LKX75 EP1555 HE100 WX75 WX75 WX75 WX75 WX75 WX75 WX75 WX7	ATA Rolling Hard Shipping Case 3-year warranty program (repair time 3-5 days in shop, repair parts and labor, shipping paid both ways, 1 free lamp during term of warranty, free loaner) XGA, 0.99" LCD, 3500 lumens, 17 lbs. Networkable, HDTV Ready 2 Demo units available per dealer X70 with Long Throw Lens X70 with Short Throw Lens Replacement Lamp Kit - X70 Ceiling Mount - X70 Hard Side ATA Shipping Case (wheeled) Soft Side Case (wheeled) Ceiling Mount Extender 3-year warranty program (repair time 3-5 days in shop, repair parts and labor, shipping paid both ways, 1 free lamp during term of warranty, free loaner while customer unit is being repaired). XGA, 3200 Lumens, 8.8 lbs. Networkable, HDTV Ready 2 Demo units available per dealer Replacement Lamp Kit - X75 Ceiling Mount - X75 Hard Side ATA Shipping Case (wheeled) Soft Side Case (wheeled) Ceiling Mount Extender 3-year warranty program (repair time 3-5 days in shop, repair parts and labor, shipping paid both ways, 1 free lamp during term of warranty, free loaner while customer unit is being repaired).	59522-3 59521-3 60737-7 60716-2 60774-2 60774-2 60773 7 60724 7 59521-6 59522-3 60725 4 60738 4 60883-1 60881-7 60885-5 60890-9 59521-6 59522-3 60725 4	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	179 439 1,034 6,983 8,444 8,999 469 239 439 179 177 1,258 5,600 403 239 439 179
EP1545 WX65 X70 X70D X70D X70S LKX70 CM70/80 EP1545 EP1545 EP1555 HE100 WX70 X75 X70D LKX75 CM70 EP1545 EP1555 HE100 WX70 X75 X70D LKX75 CM 75 EP1545 EP1545 EP1545 EP1545 EP1555 HE100	ATA Rolling Hard Shipping Case 3-year warranty program (repair time 3-5 days in shop, repair parts and labor, shipping paid both ways, 1 free lamp during term of warranty, free loaner) XGA, 0.99" LCD, 3500 lumens, 17 lbs. Networkable, HDTV Ready 2 Demo units available per dealer X70 with Long Throw Lens X70 with Short Throw Lens Replacement Lamp Kit - X70 Ceiling Mount - X70 Hard Side ATA Shipping Case (wheeled) Soft Side Case (wheeled) Ceiling Mount Extender 3-year warranty program (repair time 3-5 days in shop, repair parts and labor, shipping paid both ways, 1 free lamp during term of warranty, free loaner while customer unit is being repaired). XGA , 3200 Lumens, 8.8 lbs. Networkable, HDTV Ready 2 Demo units available per dealer Replacement Lamp Kit - X75 Ceiling Mount - X75 Hard Side ATA Shipping Case (wheeled) Soft Side Case (wheeled) Ceiling Mount Extender 3-year warranty program (repair time 3-5 days in shop, repair parts and labor, shipping paid both ways, 1 free lamp during term of warranty, free loaner while customer unit is being repaired). XGA, 4500 lumens, 17lbs. Networkable, HDTV Ready	59522-3 59521-3 60737-7 60716-2 60774-2 60774-2 60773 7 60724 7 59521-6 59522-3 60725 4 60738 4 60883-1 60881-7 60885-5 60890-9 59521-6 59522-3 60725 4	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	179 439 1,034 6,983 8,444 8,999 469 239 439 179 177 1,258 5,600 403 239 439 179 177
EP1545 WX65 X70 X70D X70D X70D X70S LKX70 CM70/80 EP1545 EP1555 HE100 WX70 X75 X70D LKX75 CM 75 EP1545 EP1555 HE100 WX75 CM 75 CM 75 EP1545 EP1555 HE100 WX75	ATA Rolling Hard Shipping Case 3-year warranty program (repair time 3-5 days in shop, repair parts and labor, shipping paid both ways, 1 free lamp during term of warranty, free loaner) XGA, 0.99" LCD, 3500 lumens, 17 lbs. Networkable, HDTV Ready 2 Demo units available per dealer X70 with Long Throw Lens X70 with Short Throw Lens Replacement Lamp Kit - X70 Ceiling Mount - X70 Hard Side ATA Shipping Case (wheeled) Soft Side Case (wheeled) Ceiling Mount Extender 3-year warranty program (repair time 3-5 days in shop, repair parts and labor, shipping paid both ways, 1 free lamp during term of warranty, free loaner while customer unit is being repaired). XGA , 3200 Lumens, 8.8 lbs. Networkable, HDTV Ready 2 Demo units available per dealer Replacement Lamp Kit - X75 Ceiling Mount - X75 Hard Side ATA Shipping Case (wheeled) Soft Side Case (wheeled) Ceiling Mount Extender 3-year warranty program (repair time 3-5 days in shop, repair parts and labor, shipping paid both ways, 1 free lamp during term of warranty, free loaner while customer unit is being repaired). XGA, 4500 lumens, 17lbs. Networkable, HDTV Ready 2 Demo units available per dealer	59522-3 59521-3 60737-7 60716-2 60717-9 78-9236-6834-3 60753 7 60724 7 59521-6 59522-3 60725 4 60738 4 60883-1 60883-1 60881-7 60885-5 60890-9 59521-6 59522-3 60725 4	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	1,034 1,034 6,983 8,444 8,999 469 239 439 177 1,258 5,600 403 239 439 179 177
EP1545 WX65 X70 X70D X70D X70L X70S LKX70 CM70/80 EP1545 EP1555 HE100 WX70 WX75 X70D LKX75 CM 75 EP1545 EP1555 HE100 WX75 CM 75 EP1545 EP1555 HE100 WX75 CM 75 EP1545 EP1555 HE100	ATA Rolling Hard Shipping Case 3-year warranty program (repair time 3-5 days in shop, repair parts and labor, shipping paid both ways, 1 free lamp during term of warranty, free loaner) XGA, 0.99" LCD, 3500 lumens, 17 lbs. Networkable, HDTV Ready 2 Demo units available per dealer X70 with Long Throw Lens X70 with Short Throw Lens Replacement Lamp Kit - X70 Ceiling Mount - X70 Hard Side ATA Shipping Case (wheeled) Soft Side Case (wheeled) Ceiling Mount Extender 3-year warranty program (repair time 3-5 days in shop, repair parts and labor, shipping paid both ways, 1 free lamp during term of warranty, free loaner while customer unit is being repaired). XGA, 3200 Lumens, 8.8 lbs. Networkable, HDTV Ready 2 Demo units available per dealer Replacement Lamp Kit - X75 Ceiling Mount - X75 Hard Side ATA Shipping Case (wheeled) Soft Side Case (wheeled) Ceiling Mount Extender 3-year warranty program (repair time 3-5 days in shop, repair parts and labor, shipping paid both ways, 1 free lamp during term of warranty, free loaner while customer unit is being repaired). XGA, 4500 lumens, 17lbs. Networkable, HDTV Ready 2 Demo units available per dealer XGA, 4500 lumens, 17lbs. Networkable, HDTV Ready	59522-3 59521-3 60737-7 60716-2 60774-2 60717-9 78-9236-6834-3 60753 7 60724 7 59521-6 59522-3 60725 4 60738 4 60883-1 60885-5 60890-9 59521-6 59522-3 60725 4 60738 4	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	179 439 1,034 6,983 8,444 8,999 469 239 439 177 1,258 5,600 403 239 439 179 177 977
EP1545 WX65 X70 X70D X70D X70S LKX70 CM70/80 EP1545 EP1555 HE100 WX70 X75 X70D LKX75 CM70/80 EP1555 HE100 WX70	ATA Rolling Hard Shipping Case 3-year warranty program (repair time 3-5 days in shop, repair parts and labor, shipping paid both ways, 1 free lamp during term of warranty, free loaner) XGA, 0.99" LCD, 3500 lumens, 17 lbs. Networkable, HDTV Ready 2 Demo units available per dealer X70 with Long Throw Lens X70 with Short Throw Lens Replacement Lamp Kit - X70 Ceiling Mount - X70 Hard Side ATA Shipping Case (wheeled) Soft Side Case (wheeled) Ceiling Mount Extender 3-year warranty program (repair time 3-5 days in shop, repair parts and labor, shipping paid both ways, 1 free lamp during term of warranty, free loaner while customer unit is being repaired). XGA, 3200 Lumens, 8.8 lbs. Networkable, HDTV Ready 2 Demo units available per dealer Replacement Lamp Kit - X75 Ceiling Mount - X75 Hard Side ATA Shipping Case (wheeled) Soft Side Case (wheeled) Ceiling Mount Extender 3-year warranty program (repair time 3-5 days in shop, repair parts and labor, shipping paid both ways, 1 free lamp during term of warranty, free loaner while customer unit is being repaired). XGA, 4500 lumens, 17lbs. Networkable, HDTV Ready 2 Demo units available per dealer X80 with Long Throw Lens X80 with Long Throw Lens	59522-3 59521-3 60737-7 60716-2 60774-2 60774-2 607753 7 60724 7 59521-6 59522-3 60725 4 60738 4 60883-1 60881-7 60885-5 60890-9 59521-6 59522-3 60725 4 60738 4	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	179 439 1,034 6,983 8,444 8,999 469 239 439 179 177 1,258 5,600 403 239 439 179 177 7,999 10,549
EP1545 WX65 X70 X70D X70D X70S LKX70 CM70/80 EP1545 EP1545 EP1555 HE100 WX70 X75 X70D LKX75 CM 75 EP1545 EP1555 HE100 WX75 WX75 WX75 WX75 WX75 WX75 WX75 WX	ATA Rolling Hard Shipping Case 3-year warranty program (repair time 3-5 days in shop, repair parts and labor, shipping paid both ways, 1 free lamp during term of warranty, free loaner) XGA, 0.99" LCD, 3500 lumens, 17 lbs. Networkable, HDTV Ready 2 Demo units available per dealer X70 with Long Throw Lens X70 with Short Throw Lens Replacement Lamp Kit - X70 Ceiling Mount - X70 Hard Side ATA Shipping Case (wheeled) Soft Side Case (wheeled) Ceiling Mount Extender 3-year warranty program (repair time 3-5 days in shop, repair parts and labor, shipping paid both ways, 1 free lamp during term of warranty, free loaner while customer unit is being repaired). XGA , 3200 Lumens, 8.8 lbs. Networkable, HDTV Ready 2 Demo units available per dealer Replacement Lamp Kit - X75 Ceiling Mount - X75 Hard Side ATA Shipping Case (wheeled) Soft Side Case (wheeled) Ceiling Mount Extender 3-year warranty program (repair time 3-5 days in shop, repair parts and labor, shipping paid both ways, 1 free lamp during term of warranty, free loaner while customer unit is being repaired). XGA, 4500 lumens, 17lbs. Networkable, HDTV Ready 2 Demo units available per dealer X80 with Short Throw Lens Replacement Lamp Kit - X80	59522-3 59521-3 60737-7 60716-2 60717-9 78-9236-6834-3 60753 7 60724 7 59521-6 59522-3 60725 4 60738 4 60883-1 60883-1 60885-5 60890-9 59521-6 59522-3 60725 4 60738 4	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	179 439 1,034 6,983 8,444 8,999 469 239 439 179 177 1,258 5,600 403 239 439 179 177 7,999 10,549 9,995
EP1545 WX65 X70 X70D X70D X70D X70S LKX70 CM70/80 EP1545 EP1555 HE100 WX70 X75 X70D LKX75 CM 75 EP1545 EP1555 HE100 WX75 CM 75 EP1546 EP1555 HE100 WX75 CM 75 EP1548 EP1555 HE100 WX75	ATA Rolling Hard Shipping Case 3-year warranty program (repair time 3-5 days in shop, repair parts and labor, shipping paid both ways, 1 free lamp during term of warranty, free loaner) XGA, 0.99" LCD, 3500 lumens, 17 lbs. Networkable, HDTV Ready 2 Demo units available per dealer X70 with Long Throw Lens X70 with Short Throw Lens Replacement Lamp Kit - X70 Ceiling Mount - X70 Hard Side ATA Shipping Case (wheeled) Soft Side Case (wheeled) Ceiling Mount Extender 3-year warranty program (repair time 3-5 days in shop, repair parts and labor, shipping paid both ways, 1 free lamp during term of warranty, free loaner while customer unit is being repaired). XGA , 3200 Lumens, 8.8 lbs. Networkable, HDTV Ready 2 Demo units available per dealer Replacement Lamp Kit - X75 Ceiling Mount - X75 Hard Side ATA Shipping Case (wheeled) Soft Side Case (wheeled) Ceiling Mount Extender 3-year warranty program (repair time 3-5 days in shop, repair parts and labor, shipping paid both ways, 1 free lamp during term of warranty, free loaner while customer unit is being repaired). XGA, 4500 lumens, 17lbs. Networkable, HDTV Ready 2 Demo units available per dealer X80 with Short Throw Lens X80 with Short Throw Lens Replacement Lamp Kit - X80 Ceiling Mount - X70	59522-3 59521-3 60737-7 60716-2 60717-9 78-9236-6834-3 60753 7 60724 7 59521-6 59522-3 60725 4 60738 4 60883-1 60881-7 60885-5 60890-9 59521-6 59522-3 60725 4 60738 4	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	179 439 1,034 6,983 8,444 8,999 469 239 439 179 177 1,258 5,600 403 239 439 179 177 7,999 10,549 9,995 475
EP1545 WX65 X70 X70D X70D X70L X70S LKX70 CM70/80 EP1545 EP1555 HE100 WX70 LKX75 CM 75 EP1545 EP1555 HE100 WX75 CM 75 EP1545 EP1555 HE100 WX75 CM 75 EP1545 EP1545 EP1546 EP1555 HE100 WX75 CM 75 EP1545	ATA Rolling Hard Shipping Case 3-year warranty program (repair time 3-5 days in shop, repair parts and labor, shipping paid both ways, 1 free lamp during term of warranty, free loaner) XGA, 0.99" LCD, 3500 lumens, 17 lbs. Networkable, HDTV Ready 2 Demo units available per dealer X70 with Long Throw Lens X70 with Short Throw Lens Replacement Lamp Kit - X70 Ceiling Mount - X70 Hard Side ATA Shipping Case (wheeled) Soft Side Case (wheeled) Ceiling Mount Extender 3-year warranty program (repair time 3-5 days in shop, repair parts and labor, shipping paid both ways, 1 free lamp during term of warranty, free loaner while customer unit is being repaired). XGA, 3200 Lumens, 8.8 lbs. Networkable, HDTV Ready 2 Demo units available per dealer Replacement Lamp Kit - X75 Ceiling Mount - X75 Hard Side ATA Shipping Case (wheeled) Soft Side Case (wheeled) Ceiling Mount Extender 3-year warranty program (repair time 3-5 days in shop, repair parts and labor, shipping paid both ways, 1 free lamp during term of warranty, free loaner while customer unit is being repaired). XGA, 4500 lumens, 17lbs. Networkable, HDTV Ready 2 Demo units available per dealer X80 with Short Throw Lens X80 with Long Throw Lens Replacement Lamp Kit - X80 Ceiling Mount - X70 Hard Side ATA Shipping Case (wheeled)	59522-3 59521-3 60737-7 60716-2 60774-2 60717-9 78-9236-6834-3 60753 7 60724 7 59521-6 59522-3 60725 4 60738 4 60883-1 60881-7 60885-5 60890-9 59521-6 59522-3 60725 4 60738 4	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	179 439 1,034 6,983 8,444 8,999 469 239 439 177 1,258 5,600 403 239 439 177 977 7,999 10,549 9,995 475 239
EP1545 WX65 X70 X70D X70D X70D X70S LKX70 CM70/80 EP1545 EP1555 HE100 WX70 X75 X70D LKX75 CM 75 EP1545 EP1555 HE100 WX75 CM 75 EP1546 EP1555 HE100 WX75 CM 75 EP1548 EP1555 HE100 WX75	ATA Rolling Hard Shipping Case 3-year warranty program (repair time 3-5 days in shop, repair parts and labor, shipping paid both ways, 1 free lamp during term of warranty, free loaner) XGA, 0.99" LCD, 3500 lumens, 17 lbs. Networkable, HDTV Ready 2 Demo units available per dealer X70 with Long Throw Lens X70 with Short Throw Lens Replacement Lamp Kit - X70 Ceiling Mount - X70 Hard Side ATA Shipping Case (wheeled) Soft Side Case (wheeled) Ceiling Mount Extender 3-year warranty program (repair time 3-5 days in shop, repair parts and labor, shipping paid both ways, 1 free lamp during term of warranty, free loaner while customer unit is being repaired). XGA, 3200 Lumens, 8.8 lbs. Networkable, HDTV Ready 2 Demo units available per dealer Replacement Lamp Kit - X75 Ceiling Mount - X75 Hard Side ATA Shipping Case (wheeled) Soft Side Case (wheeled) Ceiling Mount Extender 3-year warranty program (repair time 3-5 days in shop, repair parts and labor, shipping paid both ways, 1 free lamp during term of warranty, free loaner while customer unit is being repaired). XGA, 4500 lumens, 17lbs. Networkable, HDTV Ready 2 Demo units available per dealer X80 with Short Throw Lens X80 with Long Throw Lens Replacement Lamp Kit - X80 Ceiling Mount - X70 Hard Side ATA Shipping Case (wheeled)	59522-3 59521-3 60737-7 60716-2 60774-2 60717-9 78-9236-6834-3 60753 7 60724 7 59521-6 59522-3 60725 4 60738 4 60883-1 60881-7 60885-5 60890-9 59521-6 59522-3 60725 4 60738 4	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	179 439 1,034 6,983 8,444 8,999 469 239 439 177 177 1,258 5,600 403 239 439 179 177 7,999 10,549 9,995 475 239 439
EP1545 WX65 X70 X70D X70D X70L X70S LKX70 CM70/80 EP1545 EP1555 HE100 WX70 LKX75 CM 75 EP1545 EP1555 HE100 WX75 CM 75 EP1545 EP1555 HE100 WX75 CM 75 EP1545 EP1545 EP1546 EP1555 HE100 WX75 CM 75 EP1545	ATA Rolling Hard Shipping Case 3-year warranty program (repair time 3-5 days in shop, repair parts and labor, shipping paid both ways, 1 free lamp during term of warranty, free loaner) XGA, 0.99" LCD, 3500 lumens, 17 lbs. Networkable, HDTV Ready 2 Demo units available per dealer X70 with Long Throw Lens X70 with Short Throw Lens Replacement Lamp Kit - X70 Ceiling Mount - X70 Hard Side ATA Shipping Case (wheeled) Soft Side Case (wheeled) Ceiling Mount Extender 3-year warranty program (repair time 3-5 days in shop, repair parts and labor, shipping paid both ways, 1 free lamp during term of warranty, free loaner while customer unit is being repaired). XGA , 3200 Lumens, 8.8 lbs. Networkable, HDTV Ready 2 Demo units available per dealer Replacement Lamp Kit - X75 Ceiling Mount - X75 Hard Side ATA Shipping Case (wheeled) Soft Side Case (wheeled) Ceiling Mount Extender 3-year warranty program (repair time 3-5 days in shop, repair parts and labor, shipping paid both ways, 1 free lamp during term of warranty, free loaner while customer unit is being repaired). XGA, 4500 lumens, 17lbs. Networkable, HDTV Ready 2 Demo units available per dealer X80 with Short Throw Lens Replacement Lamp Kit - X80 Ceiling Mount - X70 Hard Side ATA Shipping Case (wheeled) Soft Side Case (wheeled) Ceiling Mount - X70 Hard Side ATA Shipping Case (wheeled) Soft Side Case (wheeled)	59522-3 59521-3 60737-7 60716-2 60717-9 78-9236-6834-3 60753 7 60724 7 59521-6 59522-3 60725 4 60738 4 60883-1 60881-7 60885-5 60890-9 59521-6 59522-3 60725 4 60738 4	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	179 439 1,034 6,983 8,444 8,999 469 239 439 179 177 1,258 5,600 403 239 439 179 177 7,999 10,549 9,995 475 239 439 439 179
EP1545 WX65 X70 X70D X70D X70D X70S LKX70 CM70/80 EP1545 EP1555 HE100 WX70 WX75 X70D LKX75 CM75 EP1545 EP1555 HE100 WX75 EP1555 HE100 WX75 EP1555 HE100	ATA Rolling Hard Shipping Case 3-year warranty program (repair time 3-5 days in shop, repair parts and labor, shipping paid both ways, 1 free lamp during term of warranty, free loaner) XGA, 0.99" LCD, 3500 lumens, 17 lbs. Networkable, HDTV Ready 2 Demo units available per dealer X70 with Long Throw Lens X70 with Short Throw Lens Replacement Lamp Kit - X70 Ceiling Mount - X70 Hard Side ATA Shipping Case (wheeled) Soft Side Case (wheeled) Ceiling Mount Extender 3-year warranty program (repair time 3-5 days in shop, repair parts and labor, shipping paid both ways, 1 free lamp during term of warranty, free loaner while customer unit is being repaired). XGA , 3200 Lumens, 8.8 lbs. Networkable, HDTV Ready 2 Demo units available per dealer Replacement Lamp Kit - X75 Ceiling Mount - X75 Hard Side ATA Shipping Case (wheeled) Soft Side Case (wheeled) Ceiling Mount Extender 3-year warranty program (repair time 3-5 days in shop, repair parts and labor, shipping paid both ways, 1 free lamp during term of warranty, free loaner while customer unit is being repaired). XGA, 4500 lumens, 17lbs. Networkable, HDTV Ready 2 Demo units available per dealer X80 with Short Throw Lens X80 with Short Throw Lens Replacement Lamp Kit - X80 Ceiling Mount - X70 Hard Side ATA Shipping Case (wheeled) Ceiling Mount Extender 3-year warranty program (repair time 3-5 days in shop, repair parts and labor, shipping Case (wheeled)	59522-3 59521-3 60737-7 60716-2 60774-2 60717-9 78-9236-6834-3 60753 7 60724 7 59521-6 59522-3 60725 4 60738 4 60883-1 60881-7 60885-5 60890-9 59521-6 59522-3 60725 4 60738 4	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	179 439 1,034 6,983 8,444 8,999 469 239 439 177 1,258 5,600 403 239 439 177 977 7,999 10,549 9,995 475 239 439
EP1545 WX65 X70 X70D X70D X70D X70S LKX70 CM70/80 EP1545 EP1555 HE100 WX70 WX75 X70D LKX75 CM75 EP1545 EP1555 HE100 WX75 EP1555 HE100 WX75 EP1555 HE100	ATA Rolling Hard Shipping Case 3-year warranty program (repair time 3-5 days in shop, repair parts and labor, shipping paid both ways, 1 free lamp during term of warranty, free loaner) XGA, 0.99" LCD, 3500 lumens, 17 lbs. Networkable, HDTV Ready 2 Demo units available per dealer X70 with Long Throw Lens Replacement Lamp Kit - X70 Ceiling Mount - X70 Hard Side ATA Shipping Case (wheeled) Soft Side Case (wheeled) Ceiling Mount Extender 3-year warranty program (repair time 3-5 days in shop, repair parts and labor, shipping paid both ways, 1 free lamp during term of warranty, free loaner while customer unit is being repaired). XGA , 3200 Lumens, 8.8 lbs. Networkable, HDTV Ready 2 Demo units available per dealer Replacement Lamp Kit - X75 Ceiling Mount - X75 Hard Side ATA Shipping Case (wheeled) Soft Side Case (wheeled) Ceiling Mount Extender 3-year warranty program (repair time 3-5 days in shop, repair parts and labor, shipping paid both ways, 1 free lamp during term of warranty, free loaner while customer unit is being repaired). XGA, 4500 lumens, 17lbs. Networkable, HDTV Ready 2 Demo units available per dealer X80 with Short Throw Lens Replacement Lamp Kit - X80 Ceiling Mount Extender 3-year warranty program (repair time 3-5 days in shop, repair parts and labor, shipping paid both ways, 1 free lamp during term of warranty, free loaner while customer unit is being repaired).	59522-3 59521-3 60737-7 60716-2 60717-9 78-9236-6834-3 60753 7 60724 7 59521-6 59522-3 60725 4 60738 4 60883-1 60881-7 60885-5 60890-9 59521-6 59522-3 60725 4 60738 4	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	179 439 1,034 6,983 8,444 8,999 469 239 439 179 177 1,258 5,600 403 239 439 179 177 7,999 10,549 9,995 475 239 439 439 179
EP1545 WX65 X70 X70D X70D X70D X70S LKX70 CM70/80 EP1545 EP1555 HE100 WX70 WX75 X70D LKX75 CM75 EP1545 EP1555 HE100 WX75 EP1555 HE100 WX75 EP1555 HE100	ATA Rolling Hard Shipping Case 3-year warranty program (repair time 3-5 days in shop, repair parts and labor, shipping paid both ways, 1 free lamp during term of warranty, free loaner) XGA, 0.99" LCD, 3500 lumens, 17 lbs. Networkable, HDTV Ready 2 Demo units available per dealer X70 with Long Throw Lens X70 with Short Throw Lens Replacement Lamp Kit - X70 Ceiling Mount - X70 Hard Side ATA Shipping Case (wheeled) Soft Side Case (wheeled) Ceiling Mount Extender 3-year warranty program (repair time 3-5 days in shop, repair parts and labor, shipping paid both ways, 1 free lamp during term of warranty, free loaner while customer unit is being repaired). XGA , 3200 Lumens, 8.8 lbs. Networkable, HDTV Ready 2 Demo units available per dealer Replacement Lamp Kit - X75 Ceiling Mount - X75 Hard Side ATA Shipping Case (wheeled) Soft Side Case (wheeled) Ceiling Mount Extender 3-year warranty program (repair time 3-5 days in shop, repair parts and labor, shipping paid both ways, 1 free lamp during term of warranty, free loaner while customer unit is being repaired). XGA, 4500 lumens, 17lbs. Networkable, HDTV Ready 2 Demo units available per dealer X80 with Short Throw Lens Replacement Lamp Kit - X80 Ceiling Mount - X70 Hard Side ATA Shipping Case (wheeled) Soft Side Case (wheeled) Ceiling Mount - X70 Hard Side ATA Shipping Case (wheeled) Soft Side Case (wheeled)	59522-3 59521-3 60737-7 60716-2 60717-9 78-9236-6834-3 60753 7 60724 7 59521-6 59522-3 60725 4 60738 4 60883-1 60881-7 60885-5 60890-9 59521-6 59522-3 60725 4 60738 4	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	179 439 1,034 6,983 8,444 8,999 469 239 439 179 177 1,258 5,600 403 239 439 179 177 7,999 10,549 9,995 475 239 439 439 179

KUNZ, INC. 1630 Sulphur Spring RD Baltimore, MD 21227-2539 Phone: 410-737-0130 Fax: 410-737-0188 800-638-0410 888-638-0188 www.kunzinc.com

Visual Systems Division

ISSUE DATE: April 1, 2005

*Changes are highlighted in yellow.

Customer Service Department: 1-800-447-0388

Product	Product	UPC	Stock Number	Suggested
Number		Code		List
	3M Visual Systems Division	000-51125-		

Overhead Projectors

Current Model	1800 Series	000-51125-	Stock Number	Suggested List
1810	Open singlet lens, Single ENX lamp, Metal Base, Folding Post, Double lamp life, 2700 lumens, 5 yr warranty, 10.5" stage	59960-3	XO-0038-0715-3	\$443.62
1825	Closed singlet lens, Single FXL lamp, Metal Base, Folding Post, Double lamp life, 4300 lumens, 5 yr warranty, 10.5" stage, Hi/low switch	60103-0	XO-0038-0717-9	\$638.84
	Closed doublet lens, Single ENX lamp, Metal Base, Folding Post, Double lamp life, 2700 lumens, 5 yr warranty, 10.5" stage			
1830		59961-0	XO-0038-0711-2	\$494.64
1860	Closed singlet lens, Lamp Changer, ENX Lamp, Metal Base, Folding Post, Double lamp life, 2700 lumens, 5 yr warranty, 10.5" stage, Carry Handle	59963-4	XO-0038-0713-8	\$559.98
1865	Closed singlet lens, Lamp Changer, FXL Lamp, Metal Base, Folding Post, Double lamp life, 4300 lumens, 5 yr warranty, 10.5" stage, Hi/low switch	60106-1	XO-0038-0718-7	\$744.22
1880	Closed doublet lens, Lamp Changer, ENX Lamp, Metal Base, Folding Post, Double lamp life, 3000 lumens, 5 yr. Warranty, 10.5" stage. Clock. Handle	59964-1	XO-0038-0714-6	\$570.09
1885	Closed doublet lens, Lamp Changer, FXL Lamp, Metal Base, Folding Post, Double lamp life, 4300 lumens, 5 yr warranty, 10.5" stage, Clock, Hi/low switch	60099-6	XO-0038-0716-1	\$590.49
1895	Inverted head, Triplet lens, Lamp changer, 2 FXL Lamps, Metal Base, Folding Post, Double lamp life, 4300 lumens, 5 yr warranty, 11.25" stage, Clock, Carry Handle	59966-5	XO-0038-0710-4	\$845.44
	1700 Series	000-51125-	X00038-0-	Suggested
1711	Open singlet, Single ENX lamp, Metal Base, Fixed Post, Double lamp life, 2500 lumens , 3 year	59949-8	XO-0038-0800-3	\$278.42
1720	Closed singlet, Single ENX lamp, Metal Base, Fixed Post, Double lamp life, 2500 lumens, 3 year warranty, 10" stage	59950-4	XO-0038-0801-1	\$284.53
1730	Closed doublet, Single ENX lamp, Metal base, Fixed Post, Double lamp life, 2500 lumens , 3 year warranty, 10" stage	60189-4	XO-0038-0808-6	\$294.73
1740	Open singlet, Lamp Changer, ENX Lamp, Fixed Post, Double lamp life, 2500 lumens, 3 year warranty, 10" stage	60100-9	XO 0038 0803 7	#205.40
	Closed singlet, Lamp Changer, ENX Lamp, Fixed Post, Double lamp life, 2500 lumens, 3 year warranty, 10" stage	59951-1	XO-0038-0803-7 XO-0038-0802-9	\$335.40

Visual Systems Division

ISSUE DATE: April 1, 2005

*Changes are highlighted in yellow.

Customer Service Department: 1-800-447-0388

Product Number	Product	UPC Code	Stock Number	Suggested List
	3M Visual Systems Division	000-51125-		
1780	Closed doublet, Lamp Changer, ENX Lamp, Fixed Post, Double lamp life, 2500 lumens , 3 year warranty, 10" stage	60187-0	XO-0038-0806-0	\$366.13
		00107-0	70-0030-0000-0	ψ300.1
	Reflective Portable Projectors	000-51125-	X00038-0-	MSRP
2000AG	Briefcase size, Singlet lens, Single EVW lamp, 1600 lumens, 1 yr warranty, 10.5 stage, Quiet Convection cooled, Carry Handle	01389-5	9001	\$412.96
2660	Briefcase size, Lamp changer, 2 FNT Lamps, Triplet Lens 2500 Lumens, 1-yr warranty, 11 lbs. Comes with a soft-sided carrying case.	57435-8	3301	\$ 865.84
	1600 Series *NEW*	000-51125-	X00038-0-	MSRP
1608	Open singlet lens, 2000 ANSI lumens, 2 EHJ Lamps, Metal Base, Lamp Changer, Hi/Low setting, A4 Stage, Color Tuning, 2-yr warranty	60655-4	78-9236-6775-8 HK- 4000-0009-5	\$ 269.00
1610	Open singlet lens, Single FCS lamp, Fixed Post, 1000 lumens, Low operating replacement lamp cost with FCS lamp, 2 yr warranty	59544-5	78-9236-6504-2 HK 4000-0036-8	\$ 192.67
1620	Open triplet lens, 2100 ANSI lumens, 2 EHJ Lamps, Metal Base, Lamp Changer, Hi/Low setting, A4 Stage, Color Tuning, 2-yr. Warranty	60699-8	78-9236-6808-7 HK- 4000-0041-8	\$ 309.00
1650	Open triplet lens, 3400 ANSI lumens, 2 EVD Lamps, Metal Base, Lamp Changer, Hi/Low setting, A4 Stage, Color Tuning, 2-yr. Warranty	60685-1	78-9236-6794-9 HK- 4000-0022-8	\$ 339.00